

HP2-Z30^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z30 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/hp2-z30.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF PassApply.com

https://www.passapply.com/hp2-z30.html

2024 Latest passapply HP2-Z30 PDF and VCE dumps Download

QUESTION 1

A network administrator has created and applied a configuration to an HP Provision switch. The network administrator then copied the active configuration to a TFTP server. Upon examining the configuration file on the TFTP server, the network administrator noticed that the operator and manager passwords were not in the saved configuration file.

Which command must the network administrator	execute to accomplish this task?
--	----------------------------------

Δ	inc	-באווו	.crad	entia	ıc
л.	1110	IUU -	. CI CU	CHUA	ıo

B. include-passwords

C. save-credentials

D. backup-accounts

Correct Answer: A

QUESTION 2

Which 802.1X component seeks authentication?

A. processee

B. supplicant

C. authenticatee

D. authenticator

Correct Answer: B

QUESTION 3

After setting up DHCP relay, the network administrator has the DHCP client try to acquire addressing information, but the process fails. What should the network administrator do to solve this problem?

- A. Configure DHCP relay on SwitchB.
- B. Enable DHCP Snooping on SwichA.
- C. Execute the dhcp enable command on SwitchA.
- D. Execute the routing command SwichA.

Correct Answer: C

QUESTION 4

https://www.passapply.com/hp2-z30.html

2024 Latest passapply HP2-Z30 PDF and VCE dumps Download

Which console cable is used on an HP Comware switch?

A. cross-over

B. rollover


C. USB

D. straight-through

Correct Answer: B

QUESTION 5

Refer to the exhibit.



A network administrator has a server currently connected to an access layer switch. The network administrator needs link redundancy for the server and wants to add a second access layer switch and connect it to the server. Which solution should the network administrator implement to accomplish this goal?

- A. Add a Provision switch as the new switch and implement distributed trunking.
- B. Add a Provision switch as the new switch and implement IRF.
- C. Add a Comware switch as the new switch and implement MSTR
- D. Add a Comware switch as the new switch and implement link aggregation.

Correct Answer: B



https://www.passapply.com/hp2-z30.html 2024 Latest passapply HP2-Z30 PDF and VCE dumps Download

HP2-Z30 PDF Dumps

HP2-Z30 VCE Dumps

HP2-Z30 Practice Test