



HP2-Z30^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z30 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp2-z30.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which HP redundancy feature is supported by both HP Provision and HP Comware switches?

- A. meshed stacking
- B. distributed trunking
- C. static link aggregation
- D. dynamic LACP

Correct Answer: C

QUESTION 2

A network administrator executes this command on an HP switch:

Provision (config)# vlan 11 untag A1

The network administrator immediately realizes that the port that was specified in the command was the wrong port. Port A1 should remain in its original VLAN, VLAN 1. Which command should the network administrator execute to undo the misconfiguration?

- A. vlan 11 tagged A1
- B. vlan 1 tagged A1
- C. vlan 1 untag A1
- D. no vlan 11 untag A1

Correct Answer: A

QUESTION 3

Which trends of today's data center networks is the HP FlexNetwork Architecture designed to meet?

- A. virtualization
- B. Intelligent Resilient Framework
- C. network analytics
- D. server decentralization

Correct Answer: A

QUESTION 4




After setting up DHCP relay, the network administrator has the DHCP client try to acquire addressing information, but the process fails. What should the network administrator do to solve this problem?

- A. Configure DHCP relay on SwitchB.
- B. Enable DHCP Snooping on SwitchA.
- C. Execute the dhcp enable command on SwitchA.
- D. Execute the routing command SwitchA.

Correct Answer: C

QUESTION 5

Refer to the network exhibit.



The network shown in the exhibit is comprised of four MSTP regions that are interconnected. Based on this topology, which statement is true?

- A. PVST should be used instead of MSTP.
- B. A routing solution must be used between MSTP regions when more than one region exists.
- C. An optimized topology can be created using MSTP between the regions.
- D. The switches are running the equivalent of RSTP between the regions.

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/hp2-z30.html>

2024 Latest passapply HP2-Z30 PDF and VCE dumps Download

[HP2-Z30 PDF Dumps](#)

[HP2-Z30 Study Guide](#)

[HP2-Z30 Exam Questions](#)