



# HP2-Z30<sup>Q&As</sup>

Fast Track - Applying HP FlexNetwork Fundamentals

## Pass HP HP2-Z30 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp2-z30.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1



Switch 1 and Switch 2 are HP ProVision switches operating as Layer 2 switches. VLAN 33 has been defined as the management VLAN on both switches. Based on this topology, which user devices can access Switch 1 by using SSH?

- A. only User-1, User-2, and the Server
- B. only User-1
- C. all users and servers in the topology
- D. only User-1 and User-2

Correct Answer: B

### QUESTION 2

Which open-standard protocol allows a network administrator to view the running operating system version and IP address of a neighboring device?

- A. STP
- B. LLDP
- C. ARP
- D. CDP

Correct Answer: B

### QUESTION 3

What is the default state of spanning tree on HP Comware switches?



- A. MSTP is enabled.
- B. RSTP is enabled.
- C. STP is disabled.
- D. PVST is enabled.

Correct Answer: C

#### QUESTION 4

A network administrator executes the following command:

```
[Comware-1] display brief interface
The brief information of interface(s) under route mode:
Interface          Link          Protocol-link  Protocol type  Main IP
NULL0              UP            UP (spoofing)  NULL           --
Vlan1              DOWN         DOWN           ETHERNET       10.1.1.1
Vlan2              UP           UP             ETHERNET       10.2.2.1
<-output omitted->
```

What is the state of the VLAN 1 interface?

- A. All interfaces in VLAN 1 are down.
- B. The IP address of VLAN 1 conflicts with another device in VLAN 1.
- C. The IP address for VLAN 1 is a duplicate of another VLAN interface on the switch.
- D. VLAN 1 has a single port in a down state.

Correct Answer: D

#### QUESTION 5

A device is connected to an HP Comware hybrid port. Which type of information from the attached device can be used to assign it to a VLAN?

- A. access control list
- B. IPX host address
- C. LLDP device type
- D. protocol

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/hp2-z30.html>

2024 Latest passapply HP2-Z30 PDF and VCE dumps Download

---

[HP2-Z30 PDF Dumps](#)

[HP2-Z30 Study Guide](#)

[HP2-Z30 Exam Questions](#)