



# HP2-Z30<sup>Q&As</sup>

Fast Track - Applying HP FlexNetwork Fundamentals

## Pass HP HP2-Z30 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp2-z30.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit.



A network administrator has a server currently connected to an access layer switch. The network administrator needs link redundancy for the server and wants to add a second access layer switch and connect it to the server. Which solution should the network administrator implement to accomplish this goal?

- A. Add a Provision switch as the new switch and implement distributed trunking.
- B. Add a Provision switch as the new switch and implement IRF.
- C. Add a Comware switch as the new switch and implement MSTR
- D. Add a Comware switch as the new switch and implement link aggregation.

Correct Answer: B

### QUESTION 2

Which 802.1X component seeks authentication?

- A. processee
- B. supplicant
- C. authenticatee



D. authenticator

Correct Answer: B

---

### QUESTION 3

A network administrator has an HP Comware switch that is configured with OSPF. The network administrator views the routing table and sees that a default route was learned from an OSPF neighbor (10.1.1.1). However, the network administrator wants to override this action and use a different neighbor (10.1.1.2) for the default route.

The network administrator configures this command:

```
[Comware] ip route-static 0.0.0.0 0 10.1.1.2
```

After configuring the command, the network administrator examines the routing table and notices that the original neighbor's default route is still in the routing table, but the static route is missing.

What is the cause of this problem?


- A. OSPF routes have a lower precedence value
- B. The ip default-gateway command must be used when creating a default route
- C. Only one routing protocol can be operational on a Comware device
- D. The static route has a syntax mistake

Correct Answer: A

---

### QUESTION 4

Refer to the network exhibit.



Assume the network shown in the exhibit has implemented RSTP. Based on the topology, which port is a root port?

- A. SwitchA port 2
- B. SwitchD port 1
- C. SwitchC port 2
- D. SwitchB port 1

Correct Answer: C

#### QUESTION 5

Which Intelligent Management Center (IMC) group role allows an administrator to manage networking devices, but cannot add new IMC administrative users?

- A. Operator
- B. Administrator
- C. Manager



D. Maintainer

Correct Answer: D

[HP2-Z30 VCE Dumps](#)

[HP2-Z30 Study Guide](#)

[HP2-Z30 Braindumps](#)