



XML Master: Professional V2

# Pass XML Master I10-002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/i10-002.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by XML Master Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





## **QUESTION 1**

Which of the following correctly describes the output results when performing an XSLT tranformation on the following "XML Document" using the "XSLT Style Sheet" below? Note that the XSLT processor can output transformation results as a document.

```
[XML Document]
<data xml:lang="en">Tokyo</data>
[XSLT Style Sheet]
<xsl:stylesheet version="1.0"
       xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
  <xsl:template match="/">
      <xsl:apply-templates select="data" />
 </xsl:template>
  <xsl:template match="data">
    <xsl:copy>
      <xsl:apply-templates select="." mode="processLang" />
      <xsl:value-of select="." />
    </xsl:copy>
 </xsl:template>
 <xsl:template match="*" mode="processLang">
    <xsl:choose>
      <xsl:when test="@xml:lang">
        <xsl:copy-of select="@xml:lang" />
      </xsl:when>
      <xsl:otherwise>
        <xsl:attribute name="xml:lang">ja-JP</xsl:attribute>
      </xsl:otherwise>
    </xsl:choose>
  </xsl:template>
</xsl:stylesheet>
```

## Α.

- B. Tokyo
- C. Tokyo
- D. Tokyo

Correct Answer: C

## **QUESTION 2**

Use XSLT transformation to create XML according to the schema (portions modified for this question) defined by TravelXML.

Perform XSLT transformation on the "XML Document" using the following "XSLT Style Sheet". Select which of the following correctly describes the results of performing a validation check on the post-transformation XML against the schema ("XML Schema" referenced when the Exhibit Button is pushed).

```
[XML Document]
<form xmlns="urn:xmlmaster">
  <field1>Sky Star Hotel</field1>
  <field2></field2>
  <field3></field3>
</form>
[XSLT Style Sheet]
<xsl:stylesheet version="1.0"
       xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
       xmlns:fm="urn:xmlmaster"
       exclude-result-prefixes="fm">
  <xsl:template match="/">
    <xsl:element name="BookingNotification"</pre>
                 xmlns="http://www.xmlns.org/2003/Trave1XML">
      <xsl:element name="AccommodationInformation">
         <xsl:element name="AccommodationName">
            <xsl:value-of select="fm:form/fm:field1" />
         </xsl:element>
         <xsl:if test="fm:form/fm:field2/text()">
            <xs1:element name="ChainName">
               <xsl:value-of select="fm:form/fm:field2" />
            </xsl:element>
         </xsl:if>
         <xsl:if test="fm:form/fm:field3/text()">
            <xsl:element name="AccommodationPhoneNumber">
               <xsl:value-of select="fm:form/fm:field3" />
            </xsl:element>
         </xsl:if>
      </xsl:element>
    </xsl:element>
  </xsl:template>
</xsl:stylesheet>
```

A. The root element (document element) of the post-transformation XML is an empty element, and the post-transformationXML is not valid against the schema

B. The post-transformation XML does not include the required elements defined by the schema (all elements defined oncethey have appeared, namespace reflected); therefore, is not valid

C. The post-transformation XML includes all of the required elements defined by the schema (all elements defined oncethey have appeared, namespace reflected); however, is not valid

D. The post-transformation XML is valid

Correct Answer: D

#### **QUESTION 3**

Which of the following does not correctly describe WSDL (WSDL 1.1)?

A. Under the WSDL definition, you can use the import element to import another WSDL definition

B. You do not need to specify a binding element when creating a WSDL definition

C. When a service operation is a "One-way" type, you can specify a fault element to designate the error message type



asthe child element of the operation element within the protType element

D. When a service operation is a "Request-response" type, you can specify a fault element to designate the error messagetype as the child element of an operation element within the portType element

Correct Answer: C

### **QUESTION 4**

Which of the following text strings is not output to the results document when performing an XSLT transformation on the following "XML Document" using the "XSLT Style Sheet" below? Note that the XSLT processor can output transformation results as a document.

A. doc

B. NS1:title

C. body

D. NS1:section

E. NS1:content

Correct Answer: C

#### **QUESTION 5**

When processing the following "XML Document" according to the method shown by "DOM Processing," which of the following correctly describes the output results (print method output)?



[XML Document] <doc><content>Today's<bold>"hot"</bold>news</content></doc> [DOM Processing] Process XML using the following method. printXML ( doc ); The variable doc here references the Document instance of the loaded XML Document. Assume no execution errors. public static void printXML( Document doc ) { Element content = (Element)doc.getDocumentElement().getFirstChild(); NodeList nl = content.getChildNodes(); System.out.print( nl.getLength() ); Element bold = (Element)content.getElementsByTagNare( "bold" ).item(0); content.removeChild( bold ); System.out.print( nl.getLength() ); } B. 43 C. 42 D. 33 E. 32 F. 31 Correct Answer: E **I10-002 Practice Test** 110-002 Study Guide **I10-002 Exam Questions**