



JK0-018^{Q&As}

CompTIA Security+ E2C (2011 Edition)

Pass CompTIA JK0-018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/JK0-018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Select the appropriate attack from each drop down list to label the corresponding illustrated attack.











Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Hot Area:

Question
Show

Attacks

Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Attack Vector	Target	Identified Attack
 <p>Attacker gains confidential company information</p>	 <p>Targeted CEO and board members</p>	<div style="border: 1px solid gray; padding: 2px;"> <input type="text" value="SPEAR PUSHING"/> <ul style="list-style-type: none"> HOAX VISHING PHISHING PHARMING </div>
 <p>Attacker posts link to fake AV software</p>	 <p>Multiple social networks</p>	<div style="border: 1px solid gray; padding: 2px;"> <input type="text" value="SPEAR PUSHING"/> <ul style="list-style-type: none"> HOAX VISHING PHISHING PHARMING </div>
 <p>Attacker collecting credit card details</p>	 <p>Phone-based victim</p>	<div style="border: 1px solid gray; padding: 2px;"> <input type="text" value="SPEAR PUSHING"/> <ul style="list-style-type: none"> HOAX VISHING PHISHING PHARMING </div>
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	 <p>Broad set of recipients</p>	<div style="border: 1px solid gray; padding: 2px;"> <input type="text" value="SPEAR PUSHING"/> <ul style="list-style-type: none"> HOAX VISHING PHISHING PHARMING </div>
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	 <p>Victims</p> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid red; padding: 2px; color: red;">Fraudulent site</div> <div style="border: 1px solid green; padding: 2px; color: green;">Legitimate site</div> </div>	<div style="border: 1px solid gray; padding: 2px;"> <input type="text" value="SPEAR PUSHING"/> <ul style="list-style-type: none"> HOAX VISHING PHISHING PHARMING </div>











Correct Answer:



Question
Show

Attacks

Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Attack Vector	Target	Identified Attack
 <p>Attacker gains confidential company information</p>	 <p>Targeted CEO and board members</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker posts link to fake AV software</p>	 <p>Multiple social networks</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker collecting credit card details</p>	 <p>Phone-based victim</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	 <p>Broad set of recipients</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	 <p>Victims</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>

QUESTION 2

You have been tasked with designing a security plan for your company. Drag and drop the appropriate security controls on the floor plan-Instructions: All objects must be used and all place holders must be filled Order does not matter When you have completed the simulation, please select the Done button to submit.

Select and Place:



Floor Plan

**Instructions: All objects must be used and all place holders must be filled. Order does not matter.
When you have completed the simulation, please select the Done button to submit.**

Unsupervised Lab

Office

Data Center

Employee laptop

Security Controls

Locking Cabinets	1
Safe	1
CCTV	1
Man Trap	1
Biometric Reader	4
Proximity Badge	2
Cable Locks	6

[Reset All](#)

Correct Answer:



Floor Plan

Instructions: All objects must be used and all place holders must be filled. Order does not matter. When you have completed the simulation, please select the Done button to submit.

Unsupervised Lab

Office

Data Center

Employee laptops

Security Controls

Locking Cabinets	1
Safe	1
CCTV	1
Man Trap	1
Biometric Reader	4
Proximity Badge	2
Cable Locks	6

Reset All

QUESTION 3

The security administrator has installed a new firewall which implements an implicit DENY policy by default Click on the firewall and configure it to allow ONLY the following communication.

1. The Accounting workstation can ONLY access the web server on the public network over the default HTTPS port. The accounting workstation should not access other networks.
2. The HR workstation should be restricted to communicate with the Financial server ONLY, over the default SCP port.
3. The Admin workstation should ONLY be able to access the servers on the secure network over the default TFTP port.


Instructions: The firewall will process the rules in a top-down manner in order as a first match The port number must be typed in and only one port number can be entered per rule Type ANY for all ports. The original firewall configuration can be reset at any time by pressing the reset button. Once you have met the simulation requirements, click save and then Done to submit.



Question
Show

Network Diagram

Instructions: The firewall will process the rules in a top-down manner in order as a first match. The port number must be typed in and only one port number can be entered per rule. Type ANY for all ports. The original firewall configuration can be reset at any time by pressing the reset button. Once you have met the simulation requirements, click save and then Done to submit.



Hot Area:



Firewall Rules					
Rule #	Source	Destination	Port (Only One Per Rule)	Protocol	Action
1	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny
2	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny
3	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny
4	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny

Correct Answer:



Firewall Rules					
Rule #	Source	Destination	Port (Only One Per Rule)	Protocol	Action
1	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny
2	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny
3	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny
4	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny



QUESTION 4

A forensic analyst is asked to respond to an ongoing network attack on a server. Place the items in the list below in the correct order in which the forensic analyst should preserve them.

Select and Place:

1

2

3

4


RAM

CPU cache

Swap

Hard drive

Correct Answer:



QUESTION 5

For each of the given items, select the appropriate authentication category from the drop down choices. Select the appropriate authentication type for the following items:

Hot Area:



Item	Response
Fingerprint scan	<ul style="list-style-type: none">Biometric authenticationOne Time PasswordMulti-factorPAP authenticationPAP authenticationBiometric authentication
Hardware token	<ul style="list-style-type: none">Biometric authenticationOne Time PasswordMulti-factorPAP authenticationPAP authenticationBiometric authentication
Smart card	<ul style="list-style-type: none">Biometric authenticationOne Time PasswordMulti-factorPAP authenticationPAP authenticationBiometric authentication
Password	<ul style="list-style-type: none">Biometric authenticationOne Time PasswordMulti-factorPAP authenticationPAP authenticationBiometric authentication
PIN number	<ul style="list-style-type: none">Biometric authenticationOne Time PasswordMulti-factorPAP authenticationPAP authenticationBiometric authentication
Retina Scan	<ul style="list-style-type: none">Biometric authenticationOne Time PasswordMulti-factorPAP authenticationPAP authenticationBiometric authentication



Correct Answer:



Item	Response
Fingerprint scan	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Hardware token	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Smart card	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Password	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
PIN number	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Retina Scan	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication



VCE & PDF

PassApply.com

<https://www.passapply.com/JK0-018.html>

2021 Latest passapply JK0-018 PDF and VCE dumps Download

[JK0-018 PDF Dumps](#)

[JK0-018 VCE Dumps](#)

[JK0-018 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.