



JN0-100^{Q&As}

Juniper Networks Certified Internet Associate (JNCIA-JUNOS)

Pass Juniper JN0-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/JN0-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three statements are true regarding the Network Time Protocol (NTP) in JUNOS platforms? (Choose three.)

- A. MD5 authentication is supported.
- B. A client always synchronizes to a server even when the difference between the server clock and the local clock differs by a large amount.
- C. JUNOS software can provide a primary time reference.
- D. The boot-server configuration allows a router to synchronize its clock when it boots up, regardless of the offset between the NTP clock source and its internal clock.
- E. It is useful to correlate timestamps on log files and other events for troubleshooting and forensics.

Correct Answer: ADE

QUESTION 2

Which command would correctly define a router's host-name?

- A. # set ip host-name
- B. > set ip host-name
- C. # set system host-name
- D. > set system host-name

Correct Answer: C

QUESTION 3

When performing password recovery, which command should be entered at the boot prompt?

- A. boot -s
- B. boot -r
- C. boot single
- D. boot recovery

Correct Answer: A



QUESTION 4

A router has been configured with the settings shown below:

[edit]

```
user@host# show system authentication-order authentication-order [ radius tacplus ];
```

The router also has a local database that contains the user lab with password lab123.

What would happen if both the RADIUS and the TACACS servers are not accessible?

- A. The user lab will not be able to login.
- B. The user lab will be authenticated against the local database and will be able to login.
- C. The user lab will receive an error message indicating the router is unable to authenticate due to the authentication servers not responding.
- D. The user will be able to login only if tries to login as the root user.

Correct Answer: B

QUESTION 5

What represents the decimal equivalence of 10101100 00011111 11001001 11000101?

- A. 172.28.187.189
- B. 172.31.201.197
- C. 172.30.231.182
- D. 172.19.151.107

Correct Answer: B

[JN0-100 Study Guide](#)

[JN0-100 Exam Questions](#)

[JN0-100 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



| | | |
|---|---|--|
|  One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p> |
|---|---|--|

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.