



JN0-102^{Q&As}

Juniper Networks Certified Internet Associate, Junos(JNCIA-Junos)

Pass Juniper JN0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-102.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

-- Exhibit -interfaces {

```
ge-0/0/8 {
```

```
unit 0 {
```

```
family inet {
```

```
address 192.168.1.1/24;
```

```
}
```

```
}
```

```
}
```

```
ge-0/0/9 {
```

```
unit 0 {
```

family inet { address 192.168.10.1/24; } } } -- Exhibit -Referring to the exhibit, which command would you use to add an additional address to the ge-0/0/9.0

interface?

- A. [edit interfaces ge-0/0/9 unit 0]user@router# set family inet address /24
- B. [edit interfaces ge-0/0/9 unit 0]user@router# set family inet secondary-address /24
- C. [edit interfaces ge-0/0/9 unit 0]user@router# set family inet address /24 secondary
- D. [edit interfaces ge-0/0/9 unit 0]user@router# set family inet address-secondary /24

Correct Answer: A

QUESTION 2

Which command configures an address of 192.168.1.1 with a mask of 255.255.255.0 on interface ge0/0/0?

- A. set ip interface ge-0/0/0 address 192.168.1.1 255.255.255.0
- B. set ip interface ge-0/0/0 address 192.168.1.1/24
- C. set interface ge-0/0/0 ip4 address 192.168.1.1 mask 255.255.255.0
- D. set interfaces ge-0/0/0 unit 0 family inet address 192.168.1.1/24

Correct Answer: D



QUESTION 3

Where are files queued for transmission when using the configuration archive transfer-on-commit function?

- A. /var/config
- B. /var/queue
- C. /var/transfer/queue
- D. /var/transfer/config

Correct Answer: D

QUESTION 4

Which command would initiate a loopback on a Gigabit Ethernet interface ge-0/0/0?

- A. # set interfaces ge-0/0/0 unit 0 loopback
- B. # set interfaces ge-0/0/0 gigether-options loopback
- C. > set interfaces ge-0/0/0 loopback
- D. > loopback ge-0/0/0

Correct Answer: B

QUESTION 5

Click the exhibit button.

```
[edit protocol ospf]
user@router# show
traceoptions {
    file ospf-trace size 64k files 5 no-world-readable;
    flag event detail;
    flag error detail;
}
area 0.0.0.0 {
    interface ge-0/0/0.0;
    interface ge-0/0/1.0;
}
```

Which statement is correct regarding the configuration shown in the exhibit?



- A. When the ospf-trace file has created five files, it will stop logging additional information.
- B. When the ospf-trace file reaches the 64 KB file size, it is renamed and begins a new file.
- C. Timestamp information will not be included for each line of ospf-trace output.
- D. The ospf-trace file will automatically replace any existing trace file with the same name.

Correct Answer: B

[JN0-102 PDF Dumps](#)

[JN0-102 Practice Test](#)

[JN0-102 Braindumps](#)