



JN0-201^{Q&As}

Juniper networks Certified internet associate.m(jncia-m)

Pass Juniper JN0-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What type of router cannot exist within a stub area?

- A. non-backbone router
- B. ABR
- C. internal router
- D. ASBR

Correct Answer: D

QUESTION 2

A failure of the internal flash will result in the JUNOS software loading from which device?

- A. internal flash drive
- B. removable media
- C. LAN server
- D. hard drive

Correct Answer: D

QUESTION 3

What command is issued to verify IS-IS is configured on an interface?

- A. show interface protocols
- B. show interface route
- C. showisis interface
- D. showisis neighbor

Correct Answer: C

QUESTION 4

The monitor traffic command closely resembles what UNIX based utility?

- A. ps -x
- B. ls -a-l



C. passwd

D. tcpdump

Correct Answer: D

QUESTION 5

How do you enable interface fe-0/0/0 under the [edit protocols isis] level to form both a Level 1 and Level 2 adjacency?

A. set interface fe-0/0/0.0

B. set interface fe-0/0/0.0 level 1 level 2

C. set interface fe-0/0/0.0 all level

D. set interface fe-0/0/0.level 3 enable

Correct Answer: A

[Latest JN0-201 Dumps](#)

[JN0-201 VCE Dumps](#)

[JN0-201 Exam Questions](#)