



# JN0-332<sup>Q&As</sup>

Juniper Networks Certified Internet Specialist, SEC (JNCIS-SEC)

## Pass Juniper JN0-332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-332.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which statement describes the behavior of source NAT with address shifting?

- A. Source NAT with address shifting translates both the source IP address and the source port of a packet.
- B. Source NAT with address shifting defines a one-to-one mapping from an original source IP address to a translated source IP address.
- C. Source NAT with address shifting can translate multiple source IP addresses to the same translated IP address.
- D. Source NAT with address shifting allows inbound connections to be initiated to the static source pool IP addresses.

Correct Answer: B

---

#### QUESTION 2

What are two valid zones available on an SRX Series device? (Choose two)

- A. Security zones
- B. Policy zones
- C. Transit zones
- D. Functional zones

Correct Answer: AD

---

#### QUESTION 3

You have been tasked with performing an update to the IDP attack database.

Which three requirements are included as part of this task? (Choose three.)

- A. The IDP security package must be installed after it is downloaded.
- B. The device must be rebooted to complete the update.
- C. The device must be connected to a network.
- D. An IDP license must be installed on your device.
- E. You must be logged in as the root user.

Correct Answer: ACD

---

#### QUESTION 4



Which two statements are true when configuring security zones? (Choose two.)

- A. You can assign one or more logical interfaces to a zone.
- B. You can assign a logical interface to multiple zones.
- C. You can assign one or more logical interfaces to a routing instance.
- D. You can assign a logical interface to multiple routing instances.

Correct Answer: AC

---

#### QUESTION 5

The SRX device receives a packet and determines that it does not match an existing session. After SCREEN options are evaluated, what is evaluated next?

- A. source NAT
- B. destination NAT
- C. route lookup
- D. zone lookup

Correct Answer: B

[JN0-332 VCE Dumps](#)

[JN0-332 Exam Questions](#)

[JN0-332 Braindumps](#)