



JN0-343^{Q&As}

Juniper Networks Certified Internet Specialist (JNCIS-ENT)

Pass Juniper JN0-343 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-343.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which OSPF area type can contain Type 7 LSAs?

- A. backbone
- B. not-so-stubby
- C. stub
- D. totally stubby

Correct Answer: B

QUESTION 2

Which two BGP message types are valid? (Choose two.)

- A. refresh
- B. acknowledge
- C. keepalive
- D. withdraw

Correct Answer: AC

QUESTION 3

If an EX Series switch receives a frame with a known destination MAC address, what is the expected behavior?

- A. The frame is sent out all ports assigned to all configured VLANs except the ingress port on which the frame was received.
- B. The frame is sent out all ports assigned to the associated VLANs except the ingress port on which the frame was received.
- C. The frame is sent out all trunk ports associated with the ingress VLANs regardless of whether a matching MAC address was found in the bridge table.
- D. The frame is sent out the egress port with a matching destination MAC address within the bridge table associated with the ingress VLAN.

Correct Answer: D

QUESTION 4

Which Junos platform provides Ethernet switching services?



- A. M Series
- B. T Series
- C. EX Series
- D. MAG Series

Correct Answer: C

QUESTION 5

What is one benefit of a switched LAN?

- A. It enables the LAN to forward non-IP traffic.
- B. It ensures that all hosts can reach each other by flooding all traffic to all ports.
- C. It limits memory use by eliminating the need for a bridging table.
- D. It limits the collision domain.

Correct Answer: D

[Latest JN0-343 Dumps](#)

[JN0-343 VCE Dumps](#)

[JN0-343 Practice Test](#)