

JN0-360^{Q&As}

Service Provider Routing and Switching, Specialist (JNCIS-SP)

Pass Juniper JN0-360 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/JN0-360.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/JN0-360.html

2021 Latest passapply JN0-360 PDF and VCE dumps Download

QUESTION 1

Which three statements are true regarding the show system switchover operational mode command? (Choose three.)

- A. This command can only be issued on the master Routing Engine.
- B. This command displays the status of graceful switchover.
- C. This command can only be issued on the backup Routing Engine.
- D. This command displays the status of the interface and process databases.
- E. This command displays the status of the kernel database.

Correct Answer: BCE

QUESTION 2

What is the purpose of a route target community in a Layer 3 VPN?

- A. The community value is used to identify routes that should be imported by remote PEs.
- B. The community value is used to determine valid remote devices when signaling a Layer 3 VPN.
- C. The community value is used to identify the source of incoming routes.
- D. The community value is used to determine transit devices when signaling a Layer 3 VPN.


Correct Answer: A

QUESTION 3

Click the exhibit.

https://www.passapply.com/JN0-360.html

2021 Latest passapply JN0-360 PDF and VCE dumps Download



[edit]

user@R1# run show isis overview

Instance: master

Router ID: 10.250.0.45

Hostname: R1

Sysid: 0250.0000.0045 Areaid: 49.0001.3414.0010 Adjacency holddown: enabled

Maximum Areas: 3 LSP life time: 1200

Reference bandwidth: 10000000000 Attached bit evaluation: enabled

SPF delay: 200 msec, SPF holddown: 5000 msec, SPF rapid runs: 3

IPv4 is enabled, IPv6 is enabled Traffic engineering: enabled

Restart: Disabled Helper mode: Enabled

Source Packet Routing 95PRING): Disabled

Level 1

Internal route preference: 15 External route preference: 160

Prefix export count: 0

Wide metrics are enabled, Narrow metrics are enabled

Level 2

Internal route preference: 18 External route preference: 165

Prefix export count: 0 Wide metrics are enabled

Referring to the exhibit, which configuration must be set on R2 to from a Level 1 IS-IS adjacency with R1?

- A. Set interfaces Io0 unit 0 family iso address 49.0001.3415.0010.0250.0000.0046.00
- B. Set interfaces lo0 unit 0 family iso address 49.0002.3414.0010.0250.0000.0046.00
- C. Set interfaces Io0 unit 0 family iso address 49.0002.3415.0010.0250.0000.0046.00



https://www.passapply.com/JN0-360.html

2021 Latest passapply JN0-360 PDF and VCE dumps Download

D. Set interfaces Io0 unit 0 family iso address 49.0001.3414.0010.0250.0000.0046.00

Correct Answer: A

QUESTION 4

```
-- Exhibit -
user@R1> show route protocol bgp
inet.0: 6 destinations, 6 routes (6 active, 0 holddown, 0 hidden)
= Active Route, - = Last Active, * = Both 200.200.0.0/24 *[BGP/170] 00:00:47, localpref 100 AS path: 65001 I > to
192.168.100.1 via ge-1/1/5.435 200.200.1.0/24 *[BGP/170] 00:00:47, localpref 100 AS path: 65001 I > to 192.168.100.1
via ge-1/1/5.435 200.200.2.0/24 *[BGP/170] 00:00:47, localpref 100 AS path: 65001 I > to 192.168.100.1 via
ge-1/1/5.435 200.200.3.0/24 *[BGP/170] 00:00:47, localpref 100 AS path: 65001 I > to 192.168.100.1 via ge-1/1/5.435
user@R2> show route 200.200/16 inet.0: 36 destinations, 36 routes (36 active, 0 holddown, 0 hidden) Restart
Complete
= Active Route, - = Last Active, * = Both 200.200.0.0/24 *[Static/5] 00:09:12 Reject 200.200.1.0/24 *[Static/5] 00:09:12
Reject 200.200.2.0/24 *[Static/5] 00:09:12 Reject 200.200.3.0/24 *[Static/5] 00:09:12 Reject 200.200.4.0/24 *[Static/5]
00:09:12 Reject
user@R2> show configuration protocols bgp
export export-200;
group c5 {
neighbor 192.168.100.2 {
export export-200.200;
peer-as 65002;
}
}
user@R2> show configuration policy-options policy-statement export-200.200
term 1 {
from {
route-filter 200.200.0.0/22 longer;
}
then accept:
```

https://www.passapply.com/JN0-360.html 2021 Latest passapply JN0-360 PDF and VCE dumps Download

}
user@R2> show configuration policy-options policy-statement export-200
term 1 {
from {
route-filter 200.200.0.0/21 longer;
}
then accept;
}
Click the Exhibit button.
R2 is exporting static routes to R1 using BGP. R1 is not receiving one of the five static routes that is configured on R2.
Referring to the exhibit, what should be changed under the BGP configuration to resolve this issue?
A. Delete the global export policy.
B. Delete the neighbor export policy.
C. Move policy export-200 to the group level.

QUESTION 5

Correct Answer: B

Which Layer 2 mechanism logically groups network nodes into separate broadcast domains?

- A. IS-IS levels
- B. OSPF areas
- C. VLAN
- D. IP subnets

Correct Answer: C

Latest JN0-360 Dumps

D. Move policy export-200.200 to the group level.

JN0-360 Exam Questions

JN0-360 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.