



JN0-633^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-633 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-633.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

You are asked to troubleshoot ongoing problems with IPsec tunnels and security policy processing. Your network consists of SRX240s and SRX5600s. Regarding this scenario, which two statements are true? (Choose two.)

- A. You must enable data plane logging on the SRX240 devices to generate security policy logs.
- B. You must enable data plane logging on the SRX5600 devices to generate security policy logs.
- C. IKE logs are written to the kmd log file by default.
- D. IPsec logs are written to the kmd log file by default.

Correct Answer: BD

QUESTION 2

Click the Exhibit button.

In the exhibit, the SRX device has hosts connected to interface ge-0/0/1 and ge-0/0/6. The devices are not able to ping each other. What is causing this behavior?

Exhibit:



```
[edit]
user@srx# show interfaces
ge-0/0/1 {
    unit 0 {
        family bridge {
            interface-mode access;
            vlan-id 20;
        }
    }
}
ge-0/0/6 {
    unit 0 {
        family bridge {
            interface-mode access;
            vlan-id 20;
        }
    }
}

[edit]
user@srx# show security
policies {
    default-policy {
        permit-all;
    }
}
zones {
    security-zone L2 {
        interfaces {
            ge-0/1/6.0;
            ge-0/1/1.0;
        }
    }
}
```

- A. The interfaces must be in trunk mode.
- B. The interfaces need to be configured for Ethernet switching.
- C. The default security policy does not apply to transparent mode.
- D. A bridge domain has not been defined.

Correct Answer: D

QUESTION 3

Your company is providing multi-tenant security services on an SRX5800 cluster. You have been asked to



create a new logical system (LSYS) for a customer. The customer must be able to access and manage new resources within their LSYS.

How do you accomplish this goal?

- A. Create the new LSYS, allocate resources, and then create the user administrator role so that the customer can manage their allocated resources.
- B. Create the new LSYS, and then create the user administrator role so that the customer can allocate and manage resources.
- C. Create the new LSYS, and then create the master administrator role for the LSYS so that the customer can allocate and manage resources.
- D. Create the new LSYS, then request the required resources from the customer, and create the required resources.

Correct Answer: A

QUESTION 4

You have initiated the download of the IPS signature database on your SRX Series device.

Which command would you use to confirm the download has completed?

- A. request security idp security-package install
- B. request security idp security-package download
- C. request security idp security-package install status
- D. request security idp security-package download status

Correct Answer: D

QUESTION 5

You must configure a central SRX device connected to two branch offices with overlapping IP address space. The branch office connections to the central SRX device must reside in separate routing instances. Which two components are required? (Choose two.)

- A. virtual routing instance
- B. forwarding instance
- C. static NAT
- D. persistent NAT

Correct Answer: AC



VCE & PDF

PassApply.com

<https://www.passapply.com/jn0-633.html>

2024 Latest passapply JN0-633 PDF and VCE dumps Download

[Latest JN0-633 Dumps](#)

[JN0-633 PDF Dumps](#)

[JN0-633 VCE Dumps](#)