



JN0-633^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-633 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-633.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

An SRX Series device is configured for inline tap mode.

What will occur if Drop Packet is selected?

- A. The SRX Series device drops a matching packet before it can reach its destination but does not close the connection.
- B. The SRX Series device will ignore the action Drop Packet.
- C. The SRX Series device closes the connection and sends an RST packet to both the client and the server.
- D. The SRX Series device drops a matching packet associated with the connection, preventing traffic for the connection from reaching its destination.

Correct Answer: D

QUESTION 2

```
-- Exhibit -user@srx# show security datapath-debug
```

```
capture-file pkt-cap-file format pcap size 5m;
```

```
action-profile {
```

```
  pkt-cap-profile {
```

```
    event np-ingress {
```

```
      packet-dump;
```

```
    }
```

```
  } } packet-filter pkt-filter {
```

```
    action-profile pkt-capture;
```

```
    source-prefix 1.2.3.4/32; } -- Exhibit -
```

You want to capture transit traffic passing through your SRX3600. You add the configuration shown in the exhibit but do not see entries added to the capture file.

What is causing the problem?

- A. You are missing the configuration set security datapath-debug maximum-capture-size 1500.
- B. You are missing the configuration set security datapath-debug packet-filter pkt-filter destination-prefix 5.6.7.8/32.
- C. You must start the capture from operational mode with the command request security datapath-debug capture start.



D. You must start the capture from operational mode with the command monitor start capture.

Correct Answer: C

QUESTION 3

Where does the AppSecure suite of functions occur in the security flow process on an SRX Series device?

- A. services
- B. security policy
- C. NAT
- D. session initiation

Correct Answer: A

QUESTION 4

You are asked to provide access for an external VoIP server to VoIP phones in your network using private addresses. However, due to security concerns, the VoIP server should only be able to initiate connections to each phone once the phone has logged into the VoIP server. The VoIP server requires access to the phones using multiple ports. Which type of persistent NAT is required?

- A. any-remote-host
- B. target-host
- C. target-host-port
- D. remote-host

Correct Answer: B

QUESTION 5

You are performing AppSecure traffic processing to enforce AppFW.

What happens when traffic matching an established security session is newly detected as a different application?

- A. The security processing facility of the data plane re-examines the whitelist or blacklist referenced in the security policy to see if the new application is permitted.
- B. The newly detected application will not be permitted and session will be torn down unless a specific match exists against the exempt rulebase.
- C. Zone-based firewall rules will be re-parsed to determine if a rule exists that permits the newly detected application.
- D. The application will not be permitted if doing so would violate the session limit in the screen properties applied to that zone.



VCE & PDF

PassApply.com

<https://www.passapply.com/jn0-633.html>

2024 Latest passapply JN0-633 PDF and VCE dumps Download

Correct Answer: B

[Latest JN0-633 Dumps](#)

[JN0-633 PDF Dumps](#)

[JN0-633 VCE Dumps](#)