



# JN0-643<sup>Q&As</sup>

Enterprise Routing and Switching, Professional (JNCIP-ENT)

## Pass Juniper JN0-643 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-643.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1


Your company has EBGP peering sessions to multiple service providers. Your BGP route table contains a large number of routes with prefixes with 30 lengths. The service provider you are peering with require any advertised routes to be no longer than 24. In this scenario which 2 solution meet the service provider requirement? (Choose two)

- A. Configure a prefix list that contains all of the more specific routes
- B. configure an aggregate route that contains of the more specific routes
- C. configure a route policy that restricts all of the more specific routes. And advertise only the aggregate route
- D. Configure a firewall filter that restricts all of the more specific routes, and advertise only the prefix list

Correct Answer: BC

### QUESTION 2

Referring to the exhibit, R2 is exporting the route for server1 as a Type 2 external route and R6 is exporting the route for server 1 as a type 1 external route in OSPF. Which path is taken to reach server-1 from user1?



- A. R1>R3>R6
- B. R1>R2
- C. R1>R4>R6
- D. R1>R2>R4>R6



Correct Answer: D

---

### QUESTION 3

What is the purpose of realms in OSPFv3?

- A. They pass IPv6 routes through IPv4
- B. They pass IPv6 routes through VPNs
- C. They pass IPv4 routes through IPv6
- D. They pass VPN through IPv6

Correct Answer: C

---

### QUESTION 4

You are asked to implement CoS on an EX Series switch. You attempt to configure the priority for the voice and data queue schedulers to medium-high and medium-low priority, respectively. However, you notice that the only parameters available for the priority is strict high and low.

Why are strict high and low the only available parameters for configuration?

- A. The loss priority for the queues must first be set to medium-low and medium-high, respectively.
- B. The switch only supports the strict high and low queue priorities.
- C. The shared buffer feature must be configured prior to configuring scheduler priority.
- D. The scheduler must be applied to an interface prior to configuring scheduler priority.

Correct Answer: B

---

### QUESTION 5

Which statement is correct about the MSTP?

- A. MSTP enables mapping multiple independent spanning tree instances onto one physical topology
- B. MSTP enables dynamic discover or layer2 neighbors
- C. MSTP dynamically manages VLAN registration in the LAN
- D. MSTP uses stacked VLAN tags to extend a layer 2 Ethernet connection between multiple sides

Correct Answer: A

---



VCE & PDF

PassApply.com

<https://www.passapply.com/jn0-643.html>

2024 Latest passapply JN0-643 PDF and VCE dumps Download

---

[Latest JN0-643 Dumps](#)

[JN0-643 Practice Test](#)

[JN0-643 Study Guide](#)