



JN0-660^{Q&As}

Service Provider Routing and Switching, Professional

Pass Juniper JN0-660 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-660.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

You are hired at an ISP and your new employer asks you to become familiar with the routing policy. The `42 +.*[21112]$` regular expression is in one of the policies. Which three AS paths match the regex statement? (Choose three.)

- A. 42 42 42 42 6
- B. 42 42 42 27 21
- C. 42 42 42 42 12
- D. 42 69 2112 112
- E. 42 69 212112

Correct Answer: BCE

QUESTION 2

Click the Exhibit button.




As shown in the exhibit, you have an LSP established from R1 to R4. Your network experiences a link failure between R2 and R3. Which statement is correct?

- A. A ResvTear message is sent toward the egress router.
- B. A ResvConf message is sent toward the ingress router.
- C. A PathErr message is sent toward the egress router.
- D. A ResvTear message is sent toward the ingress router.

Correct Answer: D

QUESTION 3

-- Exhibit



-- Exhibit -Click the Exhibit button.

In the exhibit, you must configure an OSPF virtual link between R2 and R3 to facilitate communication between Area 0 and Area 2.

Which two addresses should you use as the neighbor IDs of the virtual link endpoints? (Choose two.)

- A. The address that is associated with R2's router ID.
- B. The address that is associated with R2's ge-0/0/0 interface.
- C. The address that is associated with R3's router ID.
- D. The address that is associated with R3's ge-0/0/1 interface.

Correct Answer: AC

QUESTION 4

Refer to the exhibit.



```
[edit protocols isis]
user@router# show
interface so-0/0/0.0 {
    level 2 disable;
}
interface fe-1/0/0.0;
interface fe-2/0/0.0 {
    passive;
}
```

You have implemented the IS-IS configuration shown in the exhibit. Which two statements are true? (Choose two.)

- A. An IS-IS adjacency can establish on the fe-2/1/0.0 interface.
- B. The SONET interface configuration allows the sharing of only Level 2 routes.
- C. The fe-1/0/0.0 interface configuration allows sharing of Level 1 and Level 2 routes.
- D. The fe-2/0/0.0 interface configuration allows advertising of its IP address into the LSPs.

Correct Answer: CD

QUESTION 5

You are deploying a next-generation multicast VPN in your network and must identify which routers require tunnel services?

- A. DRs closest to the receiver require tunnel services.
- B. DRs closest to the source require tunnel services.
- C. All MVPN PE routers require tunnel services.
- D. All MVPN P routers require tunnel services.

Correct Answer: C

[JN0-660 PDF Dumps](#)

[JN0-660 Practice Test](#)

[JN0-660 Exam Questions](#)