



M70-201^{Q&As}

Magento Certified Developer Plus Exam

Pass Magento M70-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/m70-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A valid way to extend `Mage_Adminhtml_Cms_PageController` with the `Acme_Cms_Adminhtml_PageController` class would be to set the following configuration:

```
<admin>
  <outers>
    <adminhtml>
      <args>
        <modules>
          <custom_cms before="____">____</custom_cms>
        </modules>
      </args>
    </adminhtml>
  </outers>
</admin>
```

Which of the following code pairs should be inserted in the blank spots in the code shown above?

- A. `Mage_Adminhtml`, `Acme_Cms_Adminhtml`
- B. `Mage_Adminhtml`, `Acme_Cms_Adminhtml_PageController`
- C. `Mage_Adminhtml_Cms_PageController`, `Acme_Cms_Adminhtml`
- D. `Mage_Adminhtml_Cms_PageController`, `Acme_Cms_Adminhtml_PageController`

Correct Answer: A

QUESTION 2

Which one of the following API protocols does native Magento support?

- A. XmlRpc
- B. REST
- C. POST
- D. Open Social
- E. XQuery

Correct Answer: A



QUESTION 3

Which one of the following API methods exists in Magento?

- A. catalog_category.save
- B. catalog_product.items
- C. catalog_product_attribute_set.update
- D. catalog_product.info

Correct Answer: D

QUESTION 4

When the load method is called on an EAV-based data model, which of the following occurs before the load method returns?

- A. walkAttributes is used to call load on the backend model of each attribute to load its corresponding value.
- B. _afterLoad is called on the source model of each loaded attribute that has one.
- C. walkAttributes is used to call afterLoad on the backend model of each loaded attribute that has one.
- D. walkAttributes is used to iterate over each attribute and load its data from the correct table on the database.

Correct Answer: C

QUESTION 5

Which of the following will cause the javascript file at [magento root]/skin/frontend///js/some.js to be added to the output of the standard Magentopage/html_head block?



- A.

```
<layout>
  <reference name="head">
    <action method="addSkinJs">
      <name>js/some.js</name>
```
- B.

```
<layout>
  <default>
    <reference name="head">
      <action method="addSkinJs">
        <name>js/some.js</name>
```
- C.

```
<layout>
  <default>
    <reference name="head">
      <action method="addJs">
        <type>skin_js</type>
        <file>js/some.js</file>
```
- D.

```
<layout>
  <default>
    <reference name="head">
      <action method="addItem">
        <type>skin_js</skin>
        <name>js/some.js</name>
```

A. B. C. D.

Correct Answer: D

[Latest M70-201 Dumps](#)

[M70-201 VCE Dumps](#)

[M70-201 Practice Test](#)