



# M70-201<sup>Q&As</sup>

Magento Certified Developer Plus Exam

**Pass Magento M70-201 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/m70-201.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Magento  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Assume you have product with qty in stock=1, and two people are trying to buy it at the same time.

Which of the following statements is true?

- A. Only one is able to add the product to the shopping cart. That person will be able to buy the product.
- B. Only the person who starts checkout first will be able to buy the product.
- C. Only the person who passes the payment step first will be able to buy the product.
- D. Both persons can go to the Place Order step, but the one who places the order first will get the product.
- E. Both persons will be able to complete the checkout, because both have local copies of the available inventory.

Correct Answer: D

---

### QUESTION 2

When setData ('some', 'value') is called on an EAV entity and the entity is saved to the database,

- A. The 'value' of the attribute named 'some' is saved in the eav\_values table
- B. The 'value' of the attribute named 'some' is saved in one of the entity's tables depending on its datatype (for example, entityname\_varchar)
- C. The data will be stored in the EAV registry making 'some' 'value' available to the entity
- D. The 'value' of the attribute named 'some' is saved in the eav attribute values table

Correct Answer: B

---

### QUESTION 3

To register a new API resource, what should you do?

- A. Register your new resource in config.xml in the node global/api/ [module name]/resources.
- B. Create etc/api.xml and register your resource in the api/resources node.
- C. Go to the System/Web services/API Resources management page, and add a new resource from there.
- D. Create an etc/resources.xml config file and register your resource in the api/resources node.

Correct Answer: B

---



#### QUESTION 4

Which two of the following methods can be used to load an entity's data from its configured data table? (Choose two)

- A. `$entityModel->loadEntity($id)`
- B. `$entityModel->load($attributeValue, $attributeCode)`
- C. `$entityModel->loadById($id)`
- D. `$entityModel->loadEntity($attributeCode, $attributeValue)`
- E. `$entityModel->load($id)`

Correct Answer: BE

---

#### QUESTION 5

The value of the `config/placeholders/[placeholder_id]/block` node from the merged `cache.xml` configuration is used .

- A. only as a human-readable attribute to the placeholder tags in full page cache records
- B. to fetch the cache lifetime for the full page cache entry from the correct block instance
- C. to build the unique cache id for full page cache records
- D. to map a block instance to the corresponding placeholder configuration while saving a full page cache entry

Correct Answer: A

[M70-201 VCE Dumps](#)

[M70-201 Study Guide](#)

[M70-201 Braindumps](#)