



M70-201^{Q&As}

Magento Certified Developer Plus Exam

Pass Magento M70-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/m70-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What do you need to do to implement a completely new Web Service protocol in Magento?

- A. Create your own adapter and controller.
- B. Create your own API resource.
- C. Create a new API helper.
- D. Create a new model extended from Mage_Api_Model_Abstract.

Correct Answer: A

QUESTION 2

Which of the following will NOT generate a tag in the output of the standard Magento page/html_head block?

- A.

```
<layout>
  <default>
    <reference name="head">
      <action method="addJs">
        <file>js/some.js</file>
      </action>
    </reference>
  </default>
</layout>
```
- B.

```
<layout>
  <default>
    <reference name="head">
      <action method="addJs">
        <name>js/some.js</name>
      </action>
    </reference>
  </default>
</layout>
```
- C.

```
<layout>
  <default>
    <reference name="head">
      <action method="addItem">
        <file>js/some.js</name>
      </action>
    </reference>
  </default>
</layout>
```
- D.

```
<layout>
  <default>
    <reference name="head">
      <action method="addItem">
        <item>js</item>
        <file>js/some.js</file>
      </action>
    </reference>
  </default>
</layout>
```

A. B. C. D.

Correct Answer: C



QUESTION 3

When the load method is called on an EAV-based data model, which of the following occurs before the load method returns?

- A. walkAttributes is used to call load on the backend model of each attribute to load its corresponding value.
- B. _afterLoad is called on the source model of each loaded attribute that has one.
- C. walkAttributes is used to call afterLoad on the backend model of each loaded attribute that has one.
- D. walkAttributes is used to iterate over each attribute and load its data from the correct table on the database.

Correct Answer: C

QUESTION 4

Which of the following node names may be used inside the setup resource declaration to utilize a custom setup class?

- A. resourceModel
- B. resourceClass
- C. setupClass
- D. class

Correct Answer: D

QUESTION 5

Which statement describes a model class that extends Mage_Core_Model_Abstract?

- A. The model class consists of properties and methods for storing and manipulating data retrieved via separate resource classes responsible for database operations.
- B. The model class is responsible for loading the frontend layout templates and responding to page requests via its Action methods (for example, indexAction).
- C. The model class does not encapsulate any logic except for logic providing access to the data loaded from the database.
- D. The model class is primarily responsible for direct query operations such as retrieving and storing data and then rendering that data to the frontend view.



Correct Answer: A

[M70-201 Practice Test](#)

[M70-201 Study Guide](#)

[M70-201 Braindumps](#)