M70-301^{Q&As}

Magento Front End Developer Certification Exam

Pass Magento M70-301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/m70-301.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center

🔧 **Instant Download** After Purchase

🔧 **100% Money Back** Guarantee

🔧 **365 Days** Free Update

🔧 **800,000+** Satisfied Customers

QUESTION 1

Which is the correct type attribute for a structural block?

A. core/block

B. core/html_wrapper

C. core/text

D. core/text_list

Correct Answer: D

QUESTION 2

Given the following HTML and CSS, what color will the word "nice be:

```
HTML:
<p>This is some <em>nice</em> looking text.</p>

CSS:

body { color:black; }
p { color:red; }
em { color:green; }
p * { color:blue; }
p em { color:inherit; }
```

A. Black

B. Blue

C. Green

D. Red

Correct Answer: D

QUESTION 3

Where are the core module translations located?

A. app/code/locale/

B. app/locale/

C. app/design/frontend/default/default/locale/

D. app/etc/modules/locale/

Correct Answer: B

QUESTION 4

You want to remove the right structural block from a page. Which code should you use?

A.

B.

C.

D.

Correct Answer: A

QUESTION 5

Which two of the following examples can be used to include a custom JavaScript on every page? (Choose TWO.)

```
A.  <default>
        <reference name="head">
            <action method="addItem"><name>js/my_script.js</name></action>
        </reference>
    </default>

B.  <default>
        <reference name="head">
            <action method="addItem">
                <type>skin_js</type><name>js/my_script.js</name></action>
        </reference>
    </default>

C.  <default>
        <reference name="head">
            <action method="addSkinJs"><script>js/my_script.js</script></action>
        </reference>
    </default>

D.  <default>
        <reference name="head">
            <action method="addJs"><script>my_folder/my_script.js</script></action>
        </reference>
    </default>

E.  <default>
        <reference name="head">
            <action method="addJavaScript">
                <script>my_folder/my_script.js</script></action>
        </reference>
    </default>
```

A. Option A

B. Option B

C. Option C

D. Option D

E. Option E

Correct Answer: BD