M70-301^Q&As

Magento Front End Developer Certification Exam

Pass Magento M70-301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/m70-301.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which two of the following would add a CSS file to every page? (Choose TWO.)

```
☐ A.  <default>
           <reference name="head">
               <action method="addCss">css/styles.css</action>
           </reference>
       </default>

☐ B.  <default>
           <reference name="head">
               <action method="addItem">
                   <type>skin_css</type>
                   <name>css/styles.css</name>
               </action>
           </reference>
       </default>

☐ C.  <default>
           <reference name="head">
               <action method="addStylesheet">css/styles.css</action>
           </reference>
       </default>

☐ D.  <default>
           <reference name="head">
               <action method="addCss">
                   <stylesheet>css/styles.css</stylesheet></action>
           </reference>
       </default>

☐ E.  <default>
           <reference name="head">
               <action method="addItem">
                   <type>css</type>
                   <name>css/styles.css</name>
               </action>
           </reference>
       </default>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: BD

QUESTION 2

Which of the following functions is guaranteed to be executed after the DOM is ready? (Assume that the page only includes the prototype.js library.)

A. $(function() { . . . })

B. $(documerit).ready(function() { . . . })

C. $("dom:loaded", function(). . . })

D. document.observe("dom:loaded", function(). . . })

E. document.observe("html:loaded", function(). . . })

F. document.event("html:load", function(). . . })

Correct Answer: D

QUESTION 3

Given the layout XML example below, which one of the following actions will cause the title, "Some Title," to be translated by Magento?

EXAMPLE:

```
<action method="something">
    <title>Some Title</title>
    <message>Some message</message>
</action>
```

A. Add the strings ("Some Title","Ein Titel") to a translation CSV file.

B. Change the XML as follows:
```
<action method="something" translate="title">
    <title>Some Title</title>
    <message>Some message</message>
</action>
```

C. Change the XML as follows:
```
<action method="something">
    <title translate="en_US, de_DE">Some Title</title>
    <message>Some message</message>
</action>
```

D. Change the XML as follows:
```
<action method="something">
    <title><en_US>Some Title</en_US><de_DE>Some Title</de_DE></title>
    <message>Some message</message>
</action>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 4

You have created a custom theme called my_theme within the default package and want to override the native template file /page/lcolumn.phtml. You will need to place the file in the following structure:

A. app/design/frontend/base/my_theme/template/page/lcolumn.phtml

B. app/design/frontend/my_theme/default/template/page/lcolumn.phtml

C. app/design/frontend/default/my_theme/template/page/lcolumn.phtml

D. skin/design/frontend/my_theme/template/page/lcolumn.phtml

E. skin/design/frontend/base/my_theme/template/page/lcolumn.phtml

Correct Answer: C

QUESTION 5

Which one of the following methods assigns a custom template to the product compare sidebar block?

A.
```
<action block="catalog.compare.sidebar" method="setTemplate">
    <tpl>my/custom/template.phtml</tpl>
</action>
```

B.
```
<action block="catalog.compare.sidebar" method="setData">
    <key>template</key>
    <tpl>my/custom/template.phtml</tpl>
</action>
```

C.
```
<action block="catalog.compare.sidebar"
    method="setTemplate"
    template="my/custom/template.phtml"/>
```

D.
```
<block type="core/template" parent="catalog.compare.sidebar"
    template="my/custom/template.phtml"/>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A