



NS0-153^{Q&As}

Network Appliance Storage Networking

Pass NetApp NS0-153 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-153.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which three commands would help you troubleshoot a LUN that cannot be accessed by a host? (Choose 3.)

- A. fcp wwpn
- B. igroup show
- C. lun map-v
- D. fcp show initiator
- E. lun show-err

Correct Answer: BCD

QUESTION 2

If you cannot access a LUN that has been created and mapped to an initiator from a Solaris host, which are two possible problems? (Choose 2.)

- A. The storage appliance is not in the /etc/hosts file.
- B. The LUN ID is not in the /etc/sd.conf file.
- C. The devfsadm command has not been executed.
- D. The LUN ID is not in the /kernel/drv/sd.conf file.

Correct Answer: CD

QUESTION 3

Which two commands can be used to enable LUN reservations? (Choose two.)

- A. lun create
- B. fcp -r
- C. lun set reservation
- D. iscsi -r

Correct Answer: AC

QUESTION 4

A quota target can be defined as_____.



- A. the maximum amount of disk space in a volume.
- B. the maximum number of files in a disk.
- C. a user, group, or qtree to which a quota is applied.
- D. a specific disk space threshold.

Correct Answer: C

QUESTION 5

Applications, such as databases, running on NAS or iSCSI or FC SAN must be _____.

- A. prepared for snapshots by flushing buffers to disk and momentarily suspending activity.
- B. disconnected from their storage resources during the snapshot.
- C. using dynamic multipathing during a backup.
- D. mirrored with a host-based volume manager to be backed-up.

Correct Answer: A

[Latest NS0-153 Dumps](#)

[NS0-153 PDF Dumps](#)

[NS0-153 Study Guide](#)