



NS0-502^{Q&As}

NetApp Certified Implementation Engineer-SAN and Virtualization

Pass NetApp NS0-502 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-502.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


What is the functionality of the latest Data ONTAP DSM for Windows?


- A. It can handle FCP and iSCSI paths to the same LUN.
- B. It allows you to take snapshots for both FCP and iSCSI LUNS.
- C. It allows you to enable ALUA on the igroup from the host.
- D. It allows you to create new LUNs from the host.

Correct Answer: A

QUESTION 2

Click the Exhibit button.





A Solaris 10 host with VERITAS Storage Foundation 4.1 is FCP attached to a FAS3140 high availability storage system running single image cfmode. Using the diagram shown, which ports will be considered active by VERITAS DMP using the NetApp ASL to a LUN on controller 1 mapped to host 1?

- A. Port 0b on controller 1 only
- B. Port 0d on controller 1 only
- C. Port 0b and 0d on controller 1 only
- D. Ports 0b and 0d on both controller 1 and controller 2

Correct Answer: C

QUESTION 3

Click the Exhibit button.

```
port 0:id N2 No_Light
port 1:id N2 Online      f-Port 10:00:00:00:c9:37:85:ab
port 2:id N2 No_Light
port 3:id N2 Online      f-Port 10:00:00:00:c9:00:a0:98
port 4:id N2 Online      f-Port 50:00:a0:98:ff:40:a0:98
port 5:id N2 Online      f-Port 10:0a:09:80:c9:50:52:8c
port 6:id N2 Online      f-Port 20:a0:98:00:c9:42:7b:29
port 7:id N2 Online      f-Port 50:0a:09:81:83:e1:52:d9
```

The NetApp OUI is 00:A0:98



Given the information shown in the diagram, which port has a NetApp device attached to it?

- A. port 3
- B. port 5
- C. port 6
- D. port 7

Correct Answer: D

QUESTION 4

Which of these attributes can affect LUN I/O alignment?

- A. The same LUN is present in two igroups with differing ALUA states.
- B. The starting offset of the first file system block on the host.
- C. The LUN is a boot LUN.
- D. The LUN is part of a logical volume.

Correct Answer: B

QUESTION 5

Which native GUI switch tool is used to manage Brocade switches and directors?

- A. SAN Manager
- B. Enterprise Fabric Services
- C. Device Manager
- D. Web Tools

Correct Answer: D

[NS0-502 Practice Test](#)

[NS0-502 Study Guide](#)

[NS0-502 Braindumps](#)