



NS0-504^{Q&As}

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-504.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How must licenses for block protocols be installed? (Choose two.)

- A. Licenses must be installed only on clusters that do not have any NAS protocols (such as NFS or CIFS) installed.
- B. Licenses must be installed only on clusters with the supported number of nodes or fewer.
- C. Licenses must be installed for the entire cluster.
- D. Licenses must be installed on each node in the cluster that will serve data via a block protocol.

Correct Answer: CD

QUESTION 2

In Data ONTAP 8.1.1, before a LUN can be created a _____ must already be present. (Choose three.)

- A. igroup
- B. Vserver
- C. traditional volume
- D. flexible volume
- E. aggregate

Correct Answer: BDE

QUESTION 3

You are creating an acceptance test plan and the subject of performance is raised. How should you define what the minimum performance should be?

- A. You should look up the test results for a similar system in previous performance testing and use those numbers.
- B. You should work with the customer to understand their performance expectations and determine the minimum performance they require for the application this system will support.
- C. You should use the published maximum performance specifications for this system.
- D. You should use the published minimum performance specifications for this system.

Correct Answer: B

QUESTION 4

A SnapVault secondary volume can contain up to ____ Snapshot copies for data protection.



- A. 125
- B. 251
- C. 255
- D. Depends on capacity and number of disk drives

Correct Answer: B

QUESTION 5

What does NetApp recommend as best practice for zone configuration?

- A. single target zoning
- B. single initiator zoning
- C. multiple initiator zoning
- D. single port zoning

Correct Answer: B

[NS0-504 VCE Dumps](#)

[NS0-504 Practice Test](#)

[NS0-504 Exam Questions](#)