



# NS0-504<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

## Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-504.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

During an equipment move a Fibre Channel cable from a host to a switch is accidentally plugged into a different switch port on the FC switch. However, the host still sees the storage devices on all its paths. What are two reasons why this is possible? (Choose two.)

- A. LUN masking uses switch port numbers and not WWPNs.
- B. The host HBA WWPN is a part of a WWPN zoning scheme.
- C. The Fibre Channel address for the HBA has not changed.
- D. The WWPN Alias was n changed on the NetApp Controllers.

Correct Answer: BD

---

### QUESTION 2

Which statement is true about NFS exports in Cluster-Mode?

- A. Export policies are created and modified by editing `/etc/exports`.
- B. Exports can be either persistent or temporary.
- C. Export policies and rules are stored in the RDB.
- D. Both A and B
- E. Both B and C

Correct Answer: C

---

### QUESTION 3

Which three storage features can be scaled by storage administrators? (Choose three.)

- A. capacity scaling, by allowing more than two storage systems to be combined with larger disk shelves
- B. energy scaling, by allowing the cluster to share the same power source
- C. heterogeneous scaling, by allowing E-Series and FAS-Series systems within a single cluster
- D. network scaling, by providing three or more network switches for the cluster network
- E. operational scaling, by allowing the entire cluster to be administrated through a single resilient interface
- F. performance scaling, by using Flash Cache, SSDs, and Quality of Service

Correct Answer: AEF

---



#### QUESTION 4

Which four steps must an administrator take before establishing a CIFS share? (Choose four.)

- A. create a volume
- B. configure a share policy with the desired values
- C. configure an export policy
- D. configure name mapping
- E. enable Active Directory routing
- F. mount a volume within the Vserver namespace
- G. set a default share policy

Correct Answer: ACDF

---

#### QUESTION 5

Which statement is NOT true regarding NetApp Snapshots of VMware ESX datastores?

- A. A NetApp Snapshot captures the entire FlexVol including information NOT associated with VMDKs.
- B. For VMDKs on VMFS datastores, to restore a specific VMDK requires a copy from the NetApp Snapshot to the datastore.
- C. NetApp Snapshots can be employed to backup VMFS, NFS, or RDM datastores.
- D. NetApp Snapshots are instantaneous, so they always produce an application consistent image

Correct Answer: D

[Latest NS0-504 Dumps](#)

[NS0-504 Practice Test](#)

[NS0-504 Study Guide](#)