



P2090-011^{Q&As}

IBM InfoSphere Change Data Capture Technical Mastery Test v2

Pass IBM P2090-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/p2090-011.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the correct table mapping type to choose for a member of the subscription that will be used for de-normalizing tables?

- A. Consolidation ?One-to-One
- B. Adaptive Apply
- C. Standard
- D. Summarization

Correct Answer: A

QUESTION 2

Which DataStage connectivity object is used to integrate CDC with DataStage?

- A. MQ Stage
- B. CDC Transaction Stage
- C. DB2 Connect Stage
- D. ODBC Stage

Correct Answer: B

QUESTION 3

What is the correct order of steps to follow when creating a replication subscription using the Management Console?

- A. create instance, create project, create user, assign user to the project, and create subscription
- B. create instance, create database, create user, assign user to the database, and create subscription
- C. create instance, create user, assign user to instance, and create subscription
- D. create instance, create user, create datastore, assign user to the datastore, and create subscription

Correct Answer: D

QUESTION 4

Which of the following will be a valid SOURCE for "InfoSphere Change Data Capture (CDC) for Oracle Triggers"?

- A. Local Oracle databases running on any supported platform



- B. Remote Oracle databases running on any supported platform
- C. Both local and remote Oracle databases running on any supported platform
- D. Heterogeneous databases running on any supported platform

Correct Answer: A

QUESTION 5

What happens when the DataStage job which is receiving updates from CDC is terminated by the DataStage user?

- A. CDC subscription waits until the DataStage job is restarted
- B. CDC subscription feeding to DataStage fails with an error
- C. CDC subscription feeding to DataStage terminates automatically
- D. CDC datastore connecting to DataStage disconnects automatically

Correct Answer: B

[P2090-011 Practice Test](#)

[P2090-011 Exam Questions](#)

[P2090-011 Braindumps](#)