



PGCES-02^{Q&As}

PostgreSQL CE 8 Silver

Pass PostgreSQL-CE PGCES-02 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pgces-02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by PostgreSQL-CE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Based on the following request, select the most appropriate command for creating a database cluster.

?Character encoding of the template database needs to be EUC_JP ?Locale is not used A. `initdb --locale=EUC_JP --no-encoding`

B. `initdb --default-encoding=EUC_JP`

C. `pg_ctl init --locale=EUC_JP`

D. `initdb --encoding=EUC_JP --no-locale`

E. `pg_ctl init --encoding=EUC_JP`

Correct Answer: D

QUESTION 2

PostgreSQL can use an index to access a table. Select two incorrect statements about indexes.

A. An index is created by `CREATE INDEX`, and deleted by `DROP INDEX`.

B. By using an index effectively, searching and sorting performs faster.

C. There are B-tree, Hash, R-tree and GiST index types.

D. By creating an index, performance always improves.

E. Creating an unused index does not affect the performance of a database at all.

Correct Answer: DE

QUESTION 3

A table is defined as follows: `CREATE TABLE t (id INT, val TEXT)`; Select two correct statements from below about the function "get_head" defined below.

```
CREATE FUNCTION get_head(BOOLEAN)
```

```
RETURNS TEXT LANGUAGE sql CALLED ON NULL INPUT
```

```
AS $$SELECT val FROM t WHERE $1 OR id > 0 ORDER BY id LIMIT 1;$$;
```

A. This function is defined using PL/pgSQL.

B. There are cases where this function returns multiple lines.

C. When NULL is passed for the argument and the function is executed, NULL is returned.



D. Even if this function is passed the same parameter value and executed multiple times, the returned values will not necessarily also be the same value.

E. If a function with the same name and with type BOOLEAN as the parameter is already defined, an error occurs.

Correct Answer: DE

QUESTION 4

In the "customer" table, you want to change the "email" values which have an "id" value of 10000 or less, to NULL. Select the correct SQL statement to achieve this task.

A. UPDATE email = NULL FROM customer WHERE id