



PW0-105^{Q&As}

Certified Wireless Network Administrator (CWNA)

Pass CWNP PW0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pw0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When a client station sends a broadcast probe request frame with a wildcard SSID, how do APs respond?

- A. After waiting a SIFS, all APs reply at the same time with a probe response.
- B. After waiting a SIFS, a designated AP sends an ACK, and then replies with a probe response.
- C. Each AP sends its own ACK, and then follows the ACK with a probe response.
- D. For each probe request frame, only one AP may reply with a probe response.
- E. Each AP responds in turn after preparing a probe response and winning contention.

Correct Answer: E

QUESTION 2

The 802.11 protocol specifies a fundamental channel access method that is required for all stations and is used in all IBSS and BSS networks.

What is this fundamental channel access method called?

- A. DCF
- B. PCF
- C. HCF
- D. EDCAF
- E. HCCA
- F. PCF/CA

Correct Answer: A

QUESTION 3

In a long-distance RF link, what statement about Fade Margin is true?

- A. Fade Margin is an additional pad of signal strength designed into the RF system to compensate for unpredictable signal fading.
- B. The Fade Margin of a long-distance radio link should be equivalent to the receiver's antenna gain.
- C. A Fade Margin is unnecessary on a long-distance RF link if more than 80% of the first Fresnel zone is clear of obstructions.
- D. The Fade Margin is a measurement of signal loss through free space, and is a function of frequency and distance.



Correct Answer: A

QUESTION 4

Given: The network administrator at XYZ Company recently attended a training class on wireless security and realized that he should update the corporate security policy to address WLAN technology. The network administrator is listing the items that should be addressed in the security policy update, and has asked for your input.

What WLAN topics should be addressed by a company security policy? (Choose 4)

- A. Theft prevention and data security of WLAN infrastructure devices
- B. Wireless intrusion monitoring and response procedures
- C. WLAN performance analysis baseline documentation
- D. Password requirements for users and infrastructure equipment
- E. Training of the IT staff on WLAN operational security
- F. User density planning and AP client association thresholds

Correct Answer: ABDE

QUESTION 5

What item is essential for performing a manual RF site survey for a warehouse facility?

- A. A facility map with an explanation of applications used in each area
- B. I-Beam mounting kits for hanging temporary access points
- C. High-gain omni antennas for APs mounted high on warehouse ceilings
- D. Predictive site survey software that supports directional antennas
- E. NEMA enclosures that protect APs used for the survey

Correct Answer: A

[Latest PW0-105 Dumps](#)

[PW0-105 Practice Test](#)

[PW0-105 Study Guide](#)