



# ST0-237<sup>Q&As</sup>

Symantec Data Loss Prevention 12 Technical Assessment

## Pass Symantec ST0-237 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/st0-237.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two fallback options are available for a Network Prevent: Remove HTTP/HTTPS Content response rule? (Select two.)

- A. Determine a secondary site for posts
- B. Block content from being posted
- C. Send to an encryption gateway
- D. Remove content through FlexResponse
- E. Allow content to be posted

Correct Answer: BE

---

### QUESTION 2

What causes the majority of data loss prevention violations?

- A. hackers exploit vulnerabilities and exfiltrate confidential data
- B. companies lack security policies to prevent loss of confidential data
- C. employees unintentionally expose confidential data
- D. system backups are performed improperly

Correct Answer: C

---

### QUESTION 3

You are accessing the public region of a drive. You get an error message stating that the disk has failed. What could be the possible reason for this message?

- A. VxVM can access the private region but there are uncorrectable I/O failures on the public region of the drive.
- B. VxVM cannot access the private region or the public region of the drive.
- C. VxVM can access the public region of the drive but there are uncorrectable I/O failures on the private region of the drive.
- D. VxVM can access the public and the private region of the drive but the plex on the drive is disabled.

Correct Answer: C

---

### QUESTION 4



A Network Monitor server has been installed and the networking components configured accordingly. The server is receiving traffic, but fails to detect incidents. Running Wireshark indicates that the desired traffic is reaching the detection

server.

What is the most likely cause for this behavior?

- A. The mirrored port is sending corrupted packets.
- B. The wrong interface is selected in the configuration.
- C. The configuration is set to process GET requests.
- D. The communication to the database server is interrupted.

Correct Answer: A

---

#### QUESTION 5

Which delimiter is acceptable in Exact Data Matching (EDM) data sources?

- A. space
- B. semi-colon (;)
- C. pipe (|)
- D. slash (/)

Correct Answer: C

[Latest ST0-237 Dumps](#)

[ST0-237 VCE Dumps](#)

[ST0-237 Exam Questions](#)