



ACCP-V6.2^{Q&As}

Aruba Certified Clearpass Professional v6.2

Pass Aruba ACCP-V6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/accp-v6-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An employee authenticates using their corporate laptop and runs the dissolvable onguard agent to send a health check back the Policy Manager. Based on the health of the device a VLAN is assigned to the corporate laptop.

Which licenses are consumed in this scenario?

- A. 1 Policy Manager license, 1 Onboard License.
- B. 1 Policy Manager license, 1 OnGuard License.
- C. 2 Policy Manager licenses, 1 OnGuard License.
- D. 1 Policy Manager license, 1 Profile License.
- E. 2 Policy Manager licenses, 2 OnGuard licenses.

Correct Answer: B

QUESTION 2

UDP Port 3799 is used for RADIUS CoA (RFC 3576). This port has been blocked by a firewall between a NAD device and ClearPass. Which of the following is true?

- A. RADIUS Authentications will fail since the NAD won't be able to reach the ClearPass server.
- B. RADIUS Authentications will not happen since the NAD won't be able to reach the ClearPass server.
- C. RADIUS Authentication will succeed, but Post-Authentication Disconnect-Requests from ClearPass to the Controller will not be delivered.
- D. RADIUS Authentication will succeed, but RADIUS Access-Accept messages from ClearPass to the Controller for Change of Role will not be delivered.
- E. During RADIUS authentication, certificate exchange between the NAD and Clearpass will fail.

Correct Answer: C

QUESTION 3

Refer to the screen capture below If a user from the department "HR" connects on Monday using their Windows Laptop to a switch that belongs to the Device Group HQ, what role is assigned to the user in Clearpass?



Summary	Policy	Mapping Rules
Policy:		
Policy Name:	WLAN role mapping	
Description:		
Default Role:	[Guest]	
Mapping Rules:		
Rules Evaluation Algorithm:	First applicable	
Conditions	Role Name	
1. (Authorization:remotelab AD:Department EQUALS Product Management) OR (Authorization:remotelab AD:UserDN EQUALS Executive)	Executive	
2. (Authorization:[Endpoints Repository]:OS Family EQUALS_IGNORE_CASE Windows)	Vendor	
3. (Authorization:[Endpoints Repository]:Category CONTAINS SmartDevice) AND (Authorization:[Endpoints Repository]:OS Family EQUALS_IGNORE_CASE Apple)	iOS Device	
4. (Authorization:remotelab AD:UserDN EXISTS)	[Employee]	
5. (Authorization:remotelab AD:Department EQUALS HR) OR (Connection:NAD-IP-Address BELONGS_TO_GROUP HQ) OR (Date:Day-of-Week NOT_BELONGS_TO Saturday, Sunday)	HR Local	
6. (Host:OSType CONTAINS Fedora) OR (Host:OSType CONTAINS Redhat) OR (Host:OSType CONTAINS Ubuntu)	Linux User	
7. (Connection:NAD-IP-Address BELONGS_TO_GROUP Remote NAD)	Remote Employee	

- A. Executive
- B. HR Local
- C. Employee
- D. Guest
- E. Vendor

Correct Answer: E

QUESTION 4

What is the Onboard license usage based on?

- A. Each user connected to the provisioning SSID uses 1 Onboard license.
- B. Each user authenticated using the Onboard credential uses 1 Onboard license.
- C. Each user provisioned using the Onboard process uses 1 Onboard license.
- D. Each user that has the OnGuard agent downloaded uses 1 Onboard license.
- E. Each user that downloads the Onboard application to their iOS device uses 1 Onboard license.

Correct Answer: C



QUESTION 5

Refer to the screen capture below:

Configuration » Posture » Posture Policies » Edit - Employee Posture Policy
Posture Policies - Employee Posture Policy

Summary	Policy	Posture Plugins	Rules
Policy Name:	<input type="text" value="Employee Posture Policy"/>		
Description:	<input type="text"/>		
Posture Agent:	<input type="radio"/> NAP Agent <input checked="" type="radio"/> OnGuard Agent (Persistent or Dissolvable)		
Host Operating System:	<input checked="" type="radio"/> Windows <input type="radio"/> Linux <input type="radio"/> Mac OS X		

Based on the Posture Policy configuration shown above, which of the following statements is true?

- A. This Posture Policy can be applied to an 802.1x wired service.
- B. This Posture Policy checks the health status of devices running Windows, Linux and Mac OS
- C. This Posture Policy can use either the persistent or dissolvable OnGuard agent to obtain the statement of health.
- D. This Posture Policy checks for presence of a firewall application in Windows devices.
- E. This Posture Policy checks with a Windows NPS server for posture tokens.

Correct Answer: C

[Latest ACCP-V6.2 Dumps](#)

[ACCP-V6.2 Practice Test](#)

[ACCP-V6.2 Exam Questions](#)