



ACCP-V6.2^{Q&As}

Aruba Certified Clearpass Professional v6.2

Pass Aruba ACCP-V6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/accp-v6-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following checks are made with OnGuard posture evaluation in Clearpass? (Choose 3)

- A. Peer-to-peer application checks
- B. Client role check
- C. EAP TLS certificate validity
- D. Registry keys
- E. Operating System version

Correct Answer: ADE

QUESTION 2

Refer to the following Service configuration: A user connects to an Aruba Access Point wireless SSID named "secure-corporate" and performs an 802.1X authentication with ClearPass as the authentication server.

Configuration » Services » Reorder
Reorder Services

Order	Name
1	[Policy Manager Admin Network Service]
2	pod8wired
3	pod8-mac auth
4	pod8wireless

Service Rule
((Radius:IETF:NAS-Port-Type EQUALS Ethernet (15))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8)))
AND (Connection:Protocol EQUALS RADIUS)

Service Rule
((Radius:IETF:NAS-Port-Type BELONGS_TO Ethernet (15), Wireless-802.11 (19))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Call-Check (10))
AND (Connection:Client-Mac-Address EQUALS %{Radius:IETF:User-Name}))
AND (Connection:Protocol EQUALS RADIUS)

Service Rule
((Radius:IETF:NAS-Port-Type EQUALS Wireless-802.11 (19))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8))
AND (Radius:Aruba:Aruba-Location-Id EXISTS)
AND (Radius:Aruba:Aruba-Essid-Name EXISTS))
AND (Connection:Protocol EQUALS RADIUS)

Which service will be triggered?

- A. pod8wired
- B. pod8-mac auth



- C. pod8wireless
- D. [Policy Manager Admin Network Service]
- E. No service will be triggered

Correct Answer: C

QUESTION 3

UDP Port 3799 is used for RADIUS CoA (RFC 3576). This port has been blocked by a firewall between a NAD device and ClearPass. Which of the following is true?

- A. RADIUS Authentications will fail since the NAD won't be able to reach the ClearPass server.
- B. RADIUS Authentications will not happen since the NAD won't be able to reach the ClearPass server.
- C. RADIUS Authentication will succeed, but Post-Authentication Disconnect-Requests from ClearPass to the Controller will not be delivered.
- D. RADIUS Authentication will succeed, but RADIUS Access-Accept messages from ClearPass to the Controller for Change of Role will not be delivered.
- E. During RADIUS authentication, certificate exchange between the NAD and Clearpass will fail.

Correct Answer: C

QUESTION 4

A company deployed the guest Self-registration with Sponsor Approval workflow for their guest SSID. The administrator logs into the Policy Manager and sees the following in the Guest User Repository:

Configuration » Identity » Guest Users

Guest Users

Filter: Username contains YOUR

#	<input type="checkbox"/> Username ▲	Sponsor Name	Guest Type	Status
1.	<input type="checkbox"/> YOUREMAIL@gmail.com	YOUREMAIL@gmail.com	USER	Disabled

Showing 1-1 of 1

What can you conclude from the above? (Choose 2)

- A. The guest has submitted the registration form.
- B. The guest has not submitted the registration form yet.



- C. The sponsor has confirmed the guest account.
- D. The sponsor has not confirmed the guest account yet.
- E. The user\'s account is active.

Correct Answer: AD

QUESTION 5

Shown here is a AAA profile in the Aruba Controller.

AAA Profile > p8t1guest Show Reference

Initial role	guest8-1_initial	MAC Authentication Default Role	guest
802.1X Authentication Default Role	guest	L2 Authentication Fail Through	<input type="checkbox"/>
RADIUS Interim Accounting	<input type="checkbox"/>	User derivation rules	--NONE--
Wired to Wireless Roaming	<input checked="" type="checkbox"/>	SIP authentication role	--NONE--
Device Type Classification	<input checked="" type="checkbox"/>	Enforce DHCP	<input type="checkbox"/>

MAC Authentication Profile	
MAC Authentication Server Group	
802.1X Authentication Profile	
802.1X Authentication Server Group	
RADIUS Accounting Server Group	Clearpass
XML API server	
RFC 3576 server	

According to the configuration shown here, what would we expect to see in the ClearPass Policy Manager?

- A. RADIUS accounting start-stop messages
- B. RADIUS interim accounting messages
- C. RADIUS interim and start-stop messages
- D. No accounting messages will be seen
- E. RADIUS accounting messages will be sent from the Client to the Controller

Correct Answer: A