



ACE-A1.2^{Q&As}

Arista Certified Engineering Associate

Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ace-a1-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Arista
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When using Monitor Sessions with a destination of the CPU, it is impossible to forward an entire 10Gbps worth of traffic due to internal COPP policies.

How might you successfully use this feature given these constraints?

- A. You just have to live with it.
- B. Use packet truncation.
- C. Use ACL filters applied to the mirror session.
- D. Buy a switch with a larger TCAM.

Correct Answer: C

QUESTION 2

What does Arista use as a filename extension when creating EOS extensions?

- A. .swix
- B. .ext
- C. .extension
- D. .swx

Correct Answer: A

Reference: <https://eos.arista.com/packaging-and-installing-eos-extensions/>

QUESTION 3

Which of the following statements are true?

- A. VMTracer's Adaptive Segmentation feature will automatically add or prune VLANs learned from vCenter from every trunk between two known ESXi hosts so long as they are connected using Arista switches.
- B. VMTracer's Adaptive Segmentation feature will automatically add or prune VLANs learned from vCenter from the trunks connecting to the local switch on which the local ESXi host is connected.
- C. VMTracer's Adaptive Segmentation feature will automatically add or prune VLANs learned from vCenter everywhere in the network.
- D. VMTracer's Adaptive Segmentation feature will automatically add or remove VLANs on the switch, but it does not add or prune VLANs from trunks.



Correct Answer: B

QUESTION 4

What must be active on the VMware side in order for EOS to have visibility into vNIC counters?

- A. vSwitches must be used.
- B. Distributed switches must be used.
- C. vSphere must be used.
- D. vNIC counters are not supported in VMTracer.

Correct Answer: A

QUESTION 5

When you fullrecover a switch from Aboot and a USB drive is present in the USB port of the switch, which of the following statements is true?

- A. Everything on the USB drive is deleted.
- B. Only Arista-sourced files are copied from the USB drive to flash: and the switch reboots.
- C. If the USB drive contains a fullrecover file and a boot-config file with a timestamp different than the one on USB flash drive, then the USB Drive's contents will be copied to flash, after which the switch will reboot.
- D. Nothing. The USB port is disabled when Aboot is active.

Correct Answer: C

Reference: <https://eos.arista.com/password-recovery-return-to-factory-default/> (how to prepare the USB drive)

[ACE-A1.2 VCE Dumps](#)

[ACE-A1.2 Practice Test](#)

[ACE-A1.2 Exam Questions](#)