



# ACMP\_6.3<sup>Q&As</sup>

Aruba Certified Mobility Professional 6.3

## Pass Aruba ACMP\_6.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/acmp-6-3.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which of the following commands is most useful in showing the traffic of an individual user?

- A. show datapath session table
- B. show acl hits
- C. show rights
- D. show firewall
- E. show traffic client

Correct Answer: A

### QUESTION 2

Which of the following licenses are consumed by Mesh APs advertising an SSIDs?

- A. AP license
- B. Mesh license
- C. PEF-V license
- D. No license is required
- E. RAP License

Correct Answer: A

### QUESTION 3

View the Server group screen shot above.

Server Group > CorporateServers Show Reference Save As Reset

Fail Through ☐

Servers					
Name	Server-Type	trim-FQDN	Match-Rule	Actions	
RadiusNY1	Radius	No		Edit	Delete ▲ ▼
RadiusMiami	Radius	No		Edit	Delete ▲ ▼
<span>New</span>					

Server Rules								
Priority	Attribute	Operation	Operand	Type	Action	Value	Validated	Actions
<span>New</span>								

A company has provisioned the same VAP, AAA and SSID profiles at both its Miami and NY offices. This Server Group



is applied for 802.1x authentication at both locations. The user's credentials are only found in the Miami Radius server "RadiusMiami". There is no Radius synchronization and both servers are reachable. What happens when the user attempts to authenticate?

- A. The controller recognizes the users Domain and sends the authentication request directly to RadiusMiami.
- B. The request is initially sent to RadiusNY1 then RadiusNY1 redirects the controller to send the authentication request to RadiusMiami
- C. RadiusNY1 receives the request and returns a deny. No other action is taken.
- D. RadiusNY1 receives the request and returns a deny. The authentication request will then be sent to RadiusMiami.
- E. The RadiusNY1 sends the request to RadiusMiami that replies to the controller

Correct Answer: C

---

#### QUESTION 4

Which of the following metrics does the ARM feature use to calculate the optimal channel and power level for Access Points? (Choose two)


- A. RF Spectrum Index
- B. Priority Index
- C. Interference Index
- D. Coverage Index
- E. Frequency Index

Correct Answer: CD

---

#### QUESTION 5

In the above diagram, the system shows two Aruba access points.



Which VLANs must be configured on trunk link D between the router and Aruba controller to support wireless users when the controller is provisioned for L2 operations?

- A. 10, 101 and 102
- B. 101 and 102
- C. 101, 102 and 103
- D. 10, 101, 102 and 103
- E. 10 and 103

Correct Answer: A

[ACMP 6.3 VCE Dumps](#)

[ACMP 6.3 Study Guide](#)

[ACMP 6.3 Exam Questions](#)