



ACMP_6.4^{Q&As}

Aruba Certified Mobility Professional 6.4

Pass Aruba ACMP_6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/acmp_6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

By default Centralized licensing messages between master and local controllers are sent .

- A. In the clear unencrypted since the master and local controllers already share IPSEC tunnels.
- B. Using CPSec
- C. Using IPSec site to site VPN tunnels
- D. Encrypted using GRE
- E. PAPI

Correct Answer: A

QUESTION 2

Which of the following are valid RAP operating modes?

- A. Always, Backup, Standard, Persistent
- B. Always, Backup, Tunnel, Persistent
- C. Always, Hotel-Connect, Tunnel, Standard
- D. Backup, Hotel-Connect, Standard, Persistent
- E. Backup, Normal, Tunnel, Always

Correct Answer: A

QUESTION 3

What is the blacklist default time?

- A. 30seconds
- B. 1800 seconds
- C. 3600 seconds
- D. No default time, it must be done manually
- E. 1 day

Correct Answer: C

QUESTION 4




ipaccess-listsession anewone user network 10.1.1.0 255.255.255.0 any permit user any any permit host 10.1.1.1 host 10.2.2.2 any deny A user sends a frame with the following attributes: Source IP: 10.1.1.1 Destination IP: 10.2.2.2 Destination Port: 25 Based on the above Mobility Controller configuration file segment, what will this policy do with the user frame?

- A. The frame is discarded because of the implicit deny all at the end of the policy.
- B. The frame is discarded because of the statement:user host 10.1.1.1 host 10.2.2.2 deny.
- C. The frame is accepted because of the statement:user any any permit.
- D. The frame is accepted because of the statement:user network 10.1.1.0 255.255.255.0 any permit.
- E. This is not a valid policy.

Correct Answer: C

QUESTION 5



Referring to the diagram provided for this question, in which locations must you define the new data VLANs for wirelessclienttraffic?(Choosetwo)

- A. in all L2 switches where an Aruba AP is physically connected
- B. in all APs and the L2 switches to which they are connected
- C. in the Aruba controller and the router it\\'s connected to in an L2 deployment
- D. in the routers and switches where the APs are physically connected
- E. only on the Aruba controller in an L3 deployment

Correct Answer: CE



VCE & PDF

PassApply.com

https://www.passapply.com/acmp_6-4.html

2024 Latest passapply ACMP_6.4 PDF and VCE dumps Download

[ACMP_6.4 Practice Test](#)

[ACMP_6.4 Study Guide](#)

[ACMP_6.4 Braindumps](#)