



ACMP_6.4^{Q&As}

Aruba Certified Mobility Professional 6.4

Pass Aruba ACMP_6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/acmp_6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Network > All WLAN Controllers

Network Controllers						
IP Address	Name	Location	Type	Model	Version	Status
10.1.10.100	Master	Building1.floor1	master	Aruba7030	6.4.2.5_48774	up
10.1.20.100	Local1	Building1.floor1	local	Aruba7030	6.4.2.5_48774	up
10.254.1.3	Table3	Building1.floor1	local	Aruba3200	6.4.2.5_48774	up

Referring to the above screen capture, on which controller can you modify APs configuration to enable ARM?

- A. Controller 10.1.10.100 only
- B. Controller 10.1.20.100 and 10.254.1.3 only
- C. All three Controllers
- D. None of the Controllers
- E. On Controllers where ARM is enabled

Correct Answer: A

QUESTION 2

A Remote AP provisioned with an SSID in "Bridged" forwarding mode has which one of the following characteristics?

- A. The client obtains its IP address from the controller.
- B. The client's default gateway must be the controller.
- C. The client traffic is forwarded through a GRE tunnel to the controller.
- D. The client's default gateway may be the Access Point or a local gateway.
- E. The client's authentication must be 802.1X.

Correct Answer: D

QUESTION 3

Which of the statements below are TRUE regarding ARM's Spectrum Load Balancing feature? (Choose two)

- A. Available only on 5GHz radios
- B. Disabled by default



- C. Balances client load across available channels/APs
- D. Enabled by default
- E. Available only on 2.4GHz radios

Correct Answer: BC

QUESTION 4

An Aruba controller can be accessed with which CLI based remote access methods?(Choose two)

- A. RSH
- B. Telnet
- C. SSH
- D. SFTP
- E. SCP

Correct Answer: BC

QUESTION 5

Where should mobility domains be enabled in a network with 1 master, 1 backup master and 5 local controllers?

- A. Only on the master controller
- B. All the local controllers in the network
- C. All the controllers where the client is allowed to roam
- D. Master and backup master
- E. Only on the backup master

Correct Answer: C

[ACMP_6.4 PDF Dumps](#)

[ACMP_6.4 Practice Test](#)

[ACMP_6.4 Braindumps](#)