



# ACSCE-5X<sup>Q&As</sup>

Alfresco Content Services Certified Engineer

**Pass Alfresco ACSCE-5X Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/acsce-5x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Alfresco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which of the following is not an Alfresco-supplied subsystem category?

- A. Dictionary.
- B. Authentication.
- C. Audit.
- D. Search.

Correct Answer: A

References: <https://docs.alfresco.com/community5.0/concepts/subsystem-categories.html>

---

### QUESTION 2

What is the default value of the element of a web script descriptor, if one is not specified?

- A. None.
- B. None for GET Web Scripts, "required" for POST/PUT.
- C. Required.
- D. Depends on the value of

Correct Answer: A

None specifies that no transaction is required to run the web script. This is the default value if the transaction level is not explicitly specified, and the authentication level is none. If the authentication level is not none then the default value is required.

---

### QUESTION 3

A web script descriptor uses the "runAs" attribute of the "" element. What limitation does the web script have?

- A. They cannot be used with Tomcat 7.
- B. They cannot reside in the classpath.
- C. They are not automatically reloaded.
- D. They cannot reside in the data dictionary.

Correct Answer: D

---

### QUESTION 4



Which of the following method-level security definitions, will filter array of members, returned by the method, based on the access conditions applied to each member?

- A. AFTER\_ACL\_NODE.0.sys:base.ReadProperties
- B. AFTER\_ACL\_NODE.sys:base.ReadProperties
- C. AFTER\_ACL\_LIST.0.sys:base.ReadProperties
- D. AFTER\_ACL\_LIST.sys:base.ReadProperties

Correct Answer: B

Reference: <https://docs.alfresco.com/4.2/concepts/secur-methodlevel-define.html>

---

#### QUESTION 5

Which statement would return the username of the currently logged-in user?

- A. session.userName
- B. session.properties["cm:userName"]
- C. person.userName()
- D. person.properties.userName

Correct Answer: D

References: <https://community.alfresco.com/thread/166713-javascript-name-of-current-user>

[ACSCE-5X PDF Dumps](#)

[ACSCE-5X VCE Dumps](#)

[ACSCE-5X Exam Questions](#)