



AD0-E103^{Q&As}

Adobe Experience Manager Developer

Pass Adobe AD0-E103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ad0-e103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The following stack trace is written in the error.log file after installing a custom application package.

```
2.02.2019 15:21:59.659 *INFO* [OsgiInstallerImpl]
org.apache.sling.installer.core.impl.tasks.BundleStartTask Could not start bundle com.adobe.cq.sample-bundle [526].
Reason: {}. Will retry.
org.osgi.framework.BundleException: Unable to resolve com.adobe.cq.sample-bundle [526] (R 526.0): missing requiremen
t [com.adobe.cq.sample-bundle [526] (R 526.0)] osgi.wiring.package; (&(osgi.wiring.package=com.example.customlib)(ve
rsion>=3.8.0)(!(version>=4.0.0))) Unresolved requirements: [[com.adobe.cq.sample-bundle [526] (R 526.0)] osgi.wiring
.package; (&(osgi.wiring.package=com.example.customlib)(version>=3.8.0)(!(version>=4.0.0)))]
    at ....
12.02.2019 15:21:59.671 *INFO* [OsgiInstallerImpl] org.apache.sling.installer.core.impl.tasks.BundleStartTask Could
not start bundle com.adobe.cq.sample-bundle [526]. Reason: {}. Will retry. org.osgi.framework.BundleException: Unab
le to resolve com.adobe.cq.sample-bundle [526] (R 526.0): missing requirement [com.adobe.cq.sample-bundle [526] (R 52
6.0)] osgi.wiring.package; (&(osgi.wiring.package=com.example.customlib)(version>=3.8.0)(!(version>=4.0.0))) Unreso
lved requirements: [[com.adobe.cq.sample-bundle [526] (R 526.0)] osgi.wiring.package; (&(osgi.wiring.package=com.exa
mple.customlib)(version>=3.8.0)(!(version>=4.0.0)))]
    at ....
```

What are two different ways that the developer could resolve the OSGi bundle dependency error? (Choose two.)

- A. Install the jar in AEM via the curl command ``curl -u username:password -F file=@"./ com.example.customlib-3.8.jar" -F name="Dependency" -F force=true -F install=true http:// localhost:4502/crx/packmgr/service.jsp --progress-bar -o upload.txt``.
- B. Go to the Dependency Finder in the System Console to find if another bundle is exporting a similar version of the classes and change the project pom.xml to match the same version.
- C. Create a folder named "deploy" under @AEM_HOME/crx-quickstart/ and copy com.example.customlib3.8.jar in there so AEM uploads it automatically.
- D. Go to the project parent pom.xml file and add the dependency with scope "compile" and instruct the bundle plugin to include the dependency in runtime.
- E. Upload the file com.example.customlib-3.8.jar into /apps//libs folder in CRX DE to make it available for the OSGi bundle.

Correct Answer: AE

QUESTION 2

A developer wants to automatically truncate request log files once they exceed 10 MB.

Which OSGi configuration should the developer modify?

- A. Apache Sling Customizable Request Data Logger
- B. Adobe Granite Log Analysis Service
- C. Apache Sling Logging Writer Configuration
- D. Apache Sling Logging Configuration

Correct Answer: C



QUESTION 3

A developer needs to ensure that the path /content//segments exists on all environments with the correct initial content that the developer provides in a package. Content that exists in that path should NOT be affected.

Which import mode should the developer use in the filter definition?

- A. update
- B. merge
- C. replace
- D. optional

Correct Answer: B

QUESTION 4

A developer is installing a content package with the package manager. The developer needs to restrict the approximate number of nodes in a batch that is saved to persistent storage in one transaction.

How should the developer modify the number of transient nodes to be triggered until automatic saving?

- A. AEM instances automatically modify the number of transient nodes based on the load balancing.
- B. Modify the export package manifest header and copy the content package to AEM installation folder.
- C. Select the option MergePreserve for the Access Control Handling drop-down in the Install Package dialog-box.
- D. Change the value of Save Threshold in the Install Package dialog-box.

Correct Answer: C

QUESTION 5

The developer is presented with a component "Component A" which inherits from a component "Component B".

The dialog of Component A on path ../cq:dialog/../../items looks like:

```
+align
- jcr:primaryType="nt:unstructured"
- sling:resourceType="granite/ui/components/coral/foundation/form/select"
- fieldLabel="Align Text"
- name="./align"
```



The dialog of Component B on path ../cq:dialog/../../items looks like:

```
+title
- jcr:primaryType="nt:unstructured"
- sling:resourceType="granite/ui/components/coral/foundation/form/textarea"
- fieldLabel="Title"
- name="./title"

+description
- jcr:primaryType="nt:unstructured"
- sling:resourceType="granite/ui/components/coral/foundation/form/textarea"
- fieldLabel="Description"
- name="./description"
```

The requirement for the dialog is that the "Align text" field is shown after the "Title" field.

What should the developer do without changing Component B?

- A. Move the align node from Component A to Component B and order them according the requirements.
- B. Extend Component B with the functionality of Component A.
- C. Add the property sling:orderBefore="description" to the align node.
- D. Move all nodes under the item node from Component B to Component A and order them according the requirements.

Correct Answer: A

[Latest AD0-E103 Dumps](#)

[AD0-E103 VCE Dumps](#)

[AD0-E103 Study Guide](#)