



AD0-E106^{Q&As}

Adobe Experience Manager Dev/Ops Engineer

Pass Adobe AD0-E106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ad0-e106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are the two benefits of running the version purge maintenance task? (Choose two.)

- A. Increases the system performance
- B. Compacts disk space for unreferenced versions
- C. Reclaims disk space
- D. Cleans up versions that can not be restored
- E. Removes old versions of packages

Correct Answer: CE

QUESTION 2

Which transportUri should be used to configure a Flush Agent for a dispatcher listening on localhost port 8000?

- A. `http://localhost:8000/dispatcher/invalidate.cache`
- B. `http://localhost:8000/invalidate.cache`
- C. `http://localhost:8000/dispatcher/cache.invalidate`
- D. `http://localhost:8000/bin/receive`

Correct Answer: B

Reference: <https://helpx.adobe.com/experience-manager/6-3/sites/deploying/using/replication.html>

QUESTION 3

A user is able to access the OSGi console from the outside on a publish instance.

Which deny filter rule configured in the dispatcher would properly prevent access to the OSGi console?

- A. `/felix/console/*`
- B. `/system/felix`
- C. `/system/*`
- D. `/console/felix`

Correct Answer: C

QUESTION 4



A DevOps Engineer needs to perform offline maintenance on a publish instance. Which step should the DevOps Engineer take regarding replication of content?

- A. Pause the replication queue to allow items to queue
- B. Delete the replication queue
- C. Deactivate the replication agent for the publish instance
- D. Disable the replication agent for the publish instance

Correct Answer: D

QUESTION 5

A DevOps Engineer has cloned an environment, and configurations must be adjusted for the environment to function correctly. Due to the cloning, the domain and IPs changed during the process.

Specifically for content activation, which two parts of the configurations must be altered? (Choose two.)

- A. The user of the flush agents
- B. The transport URI of the replication agents
- C. The transport URI of the flush agents
- D. The transport URI of the dispatcher configuration
- E. The user of the static content agent

Correct Answer: CE

[AD0-E106 VCE Dumps](#)

[AD0-E106 Study Guide](#)

[AD0-E106 Exam Questions](#)