



AD0-E117^{Q&As}

Adobe Experience Manager Architect Master

Pass Adobe AD0-E117 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ad0-e117.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

During the implementation of a public-facing website based on AEM as a Cloud Service, the customer raises an additional requirement to have a commenting functionality for end users implemented on the pages.

What should the Architect do to make the design a future proof solution?

- A. Save comments in JCR and leverage Sling Distribution to synchronize comments between publishers
- B. Integrate a third-party solution to store comments externally
- C. Use MongoDB as provided with AEM as a Cloud Service to store the comments
- D. Save comments in JCR and leverage reverse replication to synchronize comments via author

Correct Answer: C

QUESTION 2

A client designs a new experience for one of their brand sites with the following parameters:

1.

The new experience should behave like a desktop application ?There is a lot of dynamic content in the app

2.

SEO and initial page load are a top concern for the client

3.

The client's marketing team needs to be able to author the content with a WYSIWYG editor Which approach should the Architect use to meet these requirements?

- A. Use AEM as a headless CMS
- B. Use the traditional server side components on the website
- C. Use the SPA Editor SDK with Server Side Rendering
- D. Create a set of API-driven components

Correct Answer: D

QUESTION 3

An AEM client requests that an Architect to establish non-functional KPIs. The Architect needs to avoid impacting user experience, asset processing, and download speed while doing this.



How should the Architect measure the performance properly to establish target metrics?

- A. Tail the Access Log and look for long-running queries
- B. Use the Free Request Log Analyzer Command Line Tool
- C. Use JMeter for end-to-end tests
- D. Use the OOTB Explain Query Tool

Correct Answer: D

QUESTION 4

A customer is about to go live with a new website on AEM on prem. The DNS (www.domam.com) already points to the load balancer of the AEM environment and final sanity checks are being performed. The website was tested in lower environments without SSL. On production, the website is served over https. During sanity testing, all requests result in a 404.

While investigating this issue, an Architect determines the following:

1.

The requests land on port 443 on the load balancer where SSL is terminated and an HTTP header X-Forwarded-Proto is set

2.

The website Sling Mapping is created beneath /etc/map/http/www.domain.com.80

3.

The URLs on the website are externalized with http in the absolute links. Which two actions should the Architect take to resolve this problem? (Choose two.)

- A. Ensure the Sling Mapping exist at /etc/map/https/www.domain.com.80
- B. Ensure the Sling Mapping exist at /etc/map/httpj)mwp