



AD0-E134^{Q&As}

Adobe Experience Manager Developer Exam

Pass Adobe AD0-E134 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ad0-e134.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which property under /cache on dispatcher.any file identifies the directory where cached files are stored?

- A. /invalidate
- B. /statfile
- C. /docroot
- D. /cacheroot

Correct Answer: D

Explanation: The /cacheroot property under /cache in the dispatcher.any file identifies the directory where cached files are stored. It is a relative or absolute path to the cache root directory. The dispatcher creates a subdirectory for each virtual host under this directory and stores the cached files there. References:

<https://experienceleague.adobe.com/docs/experience-manager-dispatcher/using/configuring/dispatcher-configuration.html?lang=en#cache>

QUESTION 2

An AEM as a Cloud Service implementation customer wants content to be replicated as soon as the On Time and Off Times are reached.

What must the developer configure?

- A. Enable Auto Replicate via On Off Trigger Configuration
- B. Enable On Time or Off Time via Page Properties
- C. Configure the Publish content tree via Workflow Models

Correct Answer: A

Explanation: The Auto Replicate via On Off Trigger Configuration is a feature that allows content to be replicated as soon as the On Time and Off Times are reached. This feature can be enabled by creating an OSGi configuration for the

com.day.cq.wcm.core.impl.servlets.OnOffTimeServlet service. This service listens for changes in the On Time and Off Time properties of pages and triggers replication accordingly.

References: <https://experienceleague.adobe.com/docs/experience-manager-65/deploying/configuring/replication.html?lang=en#on-off-time>
<https://experienceleague.adobe.com/docs/experience-manager-65/deploying/configuring/replication.html?lang=en#auto-replication>

replication.html?lang=en#auto-replication

QUESTION 3

Which option should be used to synchronize user data across publish servers in a publish farm?



- A. Sling Content Distribution
- B. Vault plugin
- C. CURL
- D. Replication Agents

Correct Answer: A

Explanation: Sling Content Distribution is a feature that allows synchronizing user data across publish servers in a publish farm. Sling Content Distribution uses agents to distribute content from one instance to another using a publish-publish

topology. Sling Content Distribution can be configured to synchronize user data under /home/users and /home/groups paths, as well as their ACLs.

References: <https://experienceleague.adobe.com/docs/experience-manager-65/administering/security/sync.html?lang=en><https://experienceleague.adobe.com/docs/experience-manager-learn/sites/deploying/sling-content-distribution.html>

lang=en

QUESTION 4

Which AEM dependency provides APIs for all AEM environments?



- ☐ A.
- ```
<dependency>
<groupId>com.adobe.aem</groupId>
<artifactId>aem-api</artifactId>
<version>6.5.0</version>
<classifier>apis</classifier>
<scope>provided</scope>
</dependency>
```
- ☐ B.
- ```
<dependency>
<groupId>com.adobe.cq</groupId>
<artifactId>core.wcm.components.content</artifactId>
<type>zip</type>
</dependency>
```
- ☐ C.
- ```
<repository>
<id>adobe-public-releases</id>
<name>Adobe Public Repository</name>
<url>https://repo.adobe.com/nexus/content/groups/public/</url>
<layout>default</layout>
</repository>
```
- ☐ D.
- ```
<dependency>
<groupId>com.adobe.aem</groupId>
<artifactId>uber-jar</artifactId>
<version>6.5.0</version>
<classifier>apis</classifier>
<scope>provided</scope>
</dependency>
```

A. Option A



B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 5

An AEM application development team is assigned a task to create an Event-Driven Data Layer implementation for an Analytics solution. Which Adobe recommended best practice should the developer choose?

A. Use Adobe Experience Platform's data layer to integrate with AEM.

B. Create a custom data layer and add each component template, and its properties to the data layer

C. Use Adobe Client Data Layer and integrate with Core components.

D. Create an Adobe Cloud Service configuration to use third-party tool's data layer.

Correct Answer: C

Adobe Client Data Layer is a JavaScript library that provides a standardized way to collect, structure, and manage data on a web page. It can be used to implement an event-driven data layer for analytics solutions. It integrates with Core components and allows authors to configure data layer properties for each component. It also supports custom events and data sources. References: <https://experienceleague.adobe.com/docs/experience-manager-core-components/using/developing/data-layer.html?lang=en><https://github.com/adobe/adobe-client-data-layer>

[Latest AD0-E134 Dumps](#)

[AD0-E134 Practice Test](#)

[AD0-E134 Braindumps](#)