



AD0-E313^{Q&As}

Adobe Campaign Classic Developer Certified Professional

Pass Adobe AD0-E313 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ad0-e313.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which type of External Account should be used to connect to the mid-sourcing instance in a hybrid installation?

- A. HTTP
- B. Routing
- C. External Database
- D. Execution Instance

Correct Answer: B

Reference: <https://docs.adobe.com/content/help/en/campaign-classic/using/installing-campaign-classic/additional-configurations/mid-sourcing-server.html>

QUESTION 2

While uploading a file in Campaign, a developer needs to ensure that the rejects from the input file are captured in the external file. How would they do this?

- A. While using data loading (die) option, choose Reject Management and add the reject file name
- B. Use Auto Detect format and the rejection will be added automatically
- C. Select Click here to change the file format use Error Processing, and add the reject file name
- D. Define the file name in the target database using default or external database option

Correct Answer: C

QUESTION 3

A Campaign developer is setting up a new API to query the recipient table from an external application. The developer is setting up an Operator for use specifically with the new API. In doing so, the developer selects the option "forbid access from the rich client" What impact does this have on the API?

- A. The Operator will authenticate via external accounts for API access.
- B. The Operator has access via the API.
- C. The Operator can issue API calls from within the rich client.
- D. The Operator is denied access via the API.

Correct Answer: D

Reference: <https://docs.adobe.com/content/help/en/campaign-classic/using/getting-started/administrationbasics/access-management.html>



QUESTION 4

In which activities can a Campaign developer set the segment code?

- A. Read List, Update Data, Fork, Test
- B. Test, Intersection, Fork, Enrichment
- C. Read List, Fork, Query, List Update
- D. Intersection, Query, Exclusion, Enrichment

Correct Answer: D

QUESTION 5

A client has a user created specifically for making API calls. The client does NOT want to create a new session token for each call.

How should the Campaign developer configure the operator to accomplish this request?

- A. Enable trusted IP
- B. Forbid web access
- C. Use LDAP integration
- D. Use Adobe ID login

Correct Answer: B

[Latest AD0-E313 Dumps](#)

[AD0-E313 PDF Dumps](#)

[AD0-E313 Braindumps](#)