



AD0-E703^{Q&As}

Adobe Certified Expert - Magento Commerce Developer

Pass Adobe AD0-E703 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ad0-e703.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What happens when a category's is_anchor attribute is set to 1?

- A. Products without a specified category will be associated with this category
- B. The customer will see all products from all children of the category
- C. This is the default category for a website
- D. The category will always be visible in the menu

Correct Answer: B

QUESTION 2

You are implementing a before plugin in MyCompany_Magic. It will intercept the same method that MyCompany_Admission is already intercepting using a before plugin: Topmenu::getBlockHtml

Which two actions are required to ensure the new plugin will execute last? (Choose two.)

- A. Include a sortOrder="20" on the new plugin in MyCompany_Magic's etc/di.xml file
- B. Configure plugin sequencing for both plugins in MyCompany_Magic's etc/plugin_sequence.xml file
- C. Set a sortOrder="10" for MyCompany_Admission's plugin in MyCompany_Magic's etc/di.xml
- D. Add MyCompany_Admission as a dependency in MyCompany_Magic's etc/module.xml file

Correct Answer: AC

QUESTION 3

How do you add a foreign key to an existing table created by another module?

- A. Create etc/db_schema.xml file with the table node and constraint child node
- B. Run the command bin/magento setup:db-schema:upgrade [table]
- C. This can only be done with raw SQL in a Schema Patch file
- D. Create the etc/db_constraints.xml file and specify foreign key there in the constraint node

Correct Answer: A

Explanation: <https://magento.stackexchange.com/questions/192317/magento-2-how-to-add-foreign-key-in-update-schema>

**QUESTION 4**

You have configured an event observer to watch the checkout_submit_all_after event using this XML:

```
<event name="checkout_submit_all_after">
  <observer name="exampleObserver" instance="MyCompany\MyModule\Observer\CheckoutObserver" />
</event>
```

What is the required class definition for the event observer?

A

```
class CheckoutObserver
{
    public function exampleObserver(Event\Observer $observer) { /* observer code */ }
}
```

B

```
class CheckoutObserver implements Event\ObserverInterface
{
    public function execute(Event\Observer $observer) { /* observer code */ }
}
```

C

```
class CheckoutObserver extends Event\ObserverAbstract
{
    public function execute(Event\Observer $observer) { /* observer code */ }
}
```

D

```
class CheckoutObserver implements Event\ObserverInterface
{
    public function exampleObserver(Event\Observer $observer) { /* observer code */ }
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 5

You have created a module to show manufacturer-list, Your customer need url as `www.storeurl/ manufacturer` which file are mandatory to show correct url?



- A. Controller: /Manufacturer/Controller/Index/Index.php
- B. Block: /Manufacturer/Block/Index.php
- C. Layout: Manufacturer/view/frontend/layout/manufacturer_index_index.xml
- D. Templates:/Manufacturer/view/templates/content.phtml
- E. Layout: Manufacturer/view/frontend/layout/index_index.xml
- F. Layout: Manufacturer/view/frontend/layout/manufacturer.xml

Correct Answer: ABC

[Latest AD0-E703 Dumps](#)

[AD0-E703 PDF Dumps](#)

[AD0-E703 VCE Dumps](#)