



# AD0-E703<sup>Q&As</sup>

Adobe Certified Expert - Magento Commerce Developer

## Pass Adobe AD0-E703 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ad0-e703.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

How do you pass an array [ 'one', 'two' ] as a parameter to you block using the layout XML arguments directive?

- A. `<argument name="custom_data" xsi:type="array">  
    <item name="0" xsi:type="string">one</item>  
    <item name="1" xsi:type="string">two</item>  
</argument>`
- B. `<argument name="custom_data" xsi:type="array"  
data="one, two" />`
- C. arguments does not support the array type, instead a  
serialized string must be passed: `<argument name="custom_data"  
xsi:type="string">a:2:{i:0;s:3:"one";i:1;s:3:"two";}</argument>`
- D. `<argument name="custom_data" xsi:type="array">one,two</argument>`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

---

### QUESTION 2

You see this code in etc/adminhtml/routes.xml:

You have placed a controller in Controller/Index/Subscribe.php.

If you want to create layout XML instructions for this controller, what would be the layout XML's filename?

- A. mymodule\_index\_subscribe.xml
- B. mymodule\_subscribe\_[ACTION NAME].xml
- C. user\_subscriptions\_index\_subscribe.xml
- D. user\_subscriptions\_subscribe\_[ACTION NAME].xml



Correct Answer: A

---

### QUESTION 3

You are adding a child node to the product.info block using the XML:

```
<referenceBlock name="product.info">
  <block class="MyCompany\MyModule\Block\Custom"
    name="myblock"
    as="mynewblock"
    template="custom.phtml"/>
</referenceBlock>
```

How will this block be rendered?

- A. Child block nodes are automatically rendered as HTML
- B. By calling `$block->getChildHtml('mynewblock')` in the parent block's template
- C. The layout is invalid since block elements cannot be nested
- D. Automatically if the block class Custom implements the `_toHtml` method

Correct Answer: B

---

### QUESTION 4

You have created a module to show manufacturer-list, Your customer need url as `www.storeurl/manufacturer` which file are mandatory to show correct url?

- A. Controller: `/Manufacturer/Controller/Index/Index.php`
- B. Block: `/Manufacturer/Block/Index.php`
- C. Layout: `Manufacturer/view/frontend/layout/manufacturer_index_index.xml`
- D. Templates: `/Manufacturer/view/templates/content.phtml`
- E. Layout: `Manufacturer/view/frontend/layout/index_index.xml`
- F. Layout: `Manufacturer/view/frontend/layout/manufacturer.xml`

Correct Answer: ABC

---

### QUESTION 5

You are tasked with ensuring customers who log into the site are authorized. By default, this consists of ensuring the customers email and password match the values in the database. On this project, you need to verify additional data in this process.



Keeping in mind upgradeability, how is this done?

- A. Create a before plugin for \Magento\Customer\Api\AccountManagementInterface\authenticate method
- B. Create a mutation of a CustomerInterface object to intercept the username and password
- C. Create an event observer for the user\_save\_after observer
- D. Override \Magento\Customer\Controller\AccountController.php

Correct Answer: A

[Latest AD0-E703 Dumps](#)

[AD0-E703 PDF Dumps](#)

[AD0-E703 Exam Questions](#)