



# ANC-301<sup>Q&As</sup>

Working with Data and Dashboards in Einstein Analytics

## Pass Salesforce ANC-301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/anc-301.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

An Einstein Analytics consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal\\CountyTax).

Which node should the consultant use in a Dataflow to calculate and insert SalesTax to the dataset?

- A. append
- B. computeExpression
- C. augment
- D. computeRelative

Correct Answer: B

---

### QUESTION 2

Which security option is not available in Einstein Analytics for securing datasets?

- A. Inherited security
- B. Row-level security with security predicates
- C. Field-level security
- D. App level security

Correct Answer: C

---

### QUESTION 3

A consultant is working with the client to define goals and metrics for an app that will be built. The consultant decides to base the dashboards on personas and is in the design phase prior to starting the actual build.

Which two design considerations should be determined at this time? Choose 2 answers

- A. Which fonts to use for headers and body text
- B. Which charts to use to best support the defined goal
- C. How many charts should be allowed on a single dashboard
- D. Which colors to use and how to use them

Correct Answer: BD

[https://help.salesforce.com/articleView?id=bi\\_dashboard\\_build\\_tips.htm&type=5](https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5)

---



#### QUESTION 4

The Universal Containers company used Einstein Analytics to create two datasets:

Dataset A: contains a list of activities with an "activityID" dimension and a "userID" dimension  
Dataset B: contains a list of users with a "userID" dimension

The team wants to delete from Dataset A all activities related to users in Dataset B.

How can an Einstein Consultant help them achieve this?

- A. Use the dataflow transformation "delete" and set "userID" as the deletion ID.
- B. Use a combination of dataflow transformations: "augment" and "filter."
- C. Use an external ETL tool to extract both datasets and delete records.
- D. Use the recipe operation "delete" and set "userID" as the deletion ID.

Correct Answer: B

---

#### QUESTION 5

A large company has a single dataset that contains the attainment and commission fields for all sales reps. Each sales rep should be able to view the attainment data for each rep in their division. Each rep should only be able to see their own commission data.

Which option should be used to enforce this requirement?

- A. Create separate datasets for attainment and commission and apply security predicates and/or sharing inheritance.
- B. Apply a security predicate on the existing single dataset.
- C. Use sharing inheritance.
- D. Add the sales organization to the attainment dataset access list.

Correct Answer: A

[ANC-301 VCE Dumps](#)

[ANC-301 Practice Test](#)

[ANC-301 Study Guide](#)