



AND-801^{Q&As}

Android Application Development v8

Pass Android AND-801 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/and-801.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Android
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following Android Studio folders includes drawable files for different launcher icon densities?

- A. Values
- B. Drawable
- C. layout
- D. Mipmap

Correct Answer: D

QUESTION 2

As an Android developer, to change the font size of a text in Android layout, you should use attribute "android:textSize".

Which of the following choices is the recommended syntax to change the font size to 18?

- A. android:textSize=18sd"
- B. androtd:textSize="18sp"
- C. android:textSize="--18point"
- D. android:TextSize=18dp"

Correct Answer: B

QUESTION 3

Which of these is the correct explanation regarding the following methods? (1)android.content.Context.sendBroadcast (2)android.content.Context.startActivity

- A. Both methods are defined by overloading.
- B. Both methods throw an exception.
- C. Both methods are asynchronous.
- D. Both methods are able to broadcast an Intent.

Correct Answer: D

QUESTION 4



Which of the following choices is the best answer to fill the empty space in the following sentence? Adding a new color to the colors.xml file in Android Studio (/res/values/colors.xml) helps the app developers to use this new color as attribute value for theattribute in all these app layouts.

- A. Java:textcolor
- B. color:textformat
- C. android:textcolor
- D. kotlin:textcolor

Correct Answer: C

QUESTION 5

Check the following image which includes Android code for a sum calculator. Which of the following choices is correct about this Android code?

```
package androidatc.com.android_calculator
import android.support.v7.app.AppCompatActivity
import android.os.Bundle
import kotlinx.android.synthetic.main.activity_main.*
class MainActivity : AppCompatActivity() {

    override fun onCreate(savedInstanceState: Bundle?) {

        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
        var N1=Number1.text
        var N2=Number2.text
        button_sum.setOnClickListener {

            var sum_rusult=N1.toString().toDouble()+ N2.toString().toDouble()
            result_view.text= sum_result.toString()
        }
    }
}
```

- A. The sum result will not appear on the app until adding another print out method.
- B. The sum result of N1 and N2 will appear in result_view TextView widget when the user clicks button_sum button.
- C. The sum result will not work, because N1 and N2 must be changed to Integer first.
- D. You must add input method to this code to enter the value of N1 and N2 numbers.

Correct Answer: B



[Latest AND-801 Dumps](#)

[AND-801 Practice Test](#)

[AND-801 Exam Questions](#)