

# **ASVAB-SECTION-4**<sup>Q&As</sup>

ASVAB Section Four : Automotive & Shop Information

## Pass ASVAB ASVAB-SECTION-4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/asvab-section-4.html

### 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by ASVAB Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

What gear is the transmission in when the engine is driving the car directly?

- A. first gear
- B. second gear
- C. third gear
- D. fourth gear
- Correct Answer: C

In a three-speed car first gear is used to get the car moving.

Second gear is used to get it moving a little fester.

Then it is placed in third gear when it has reached a higher speed and needs less power to make it move

even fester. When the third gear is engaged, no gear reduction is taking place and the engine speed is

reflected in the speed at which the wheels turn.

#### **QUESTION 2**

In order to change a tire, a \_\_\_\_\_ must be used to lift the bottom of the car.

- A. jack
- B. socket wrench
- C. hoist
- D. boom truck
- Correct Answer: A

#### **QUESTION 3**

Which system on an automobile uses shock absorbers?

- A. the braking system
- B. the exhaust system
- C. the electrical system
- D. the suspension system

Correct Answer: D



The shock absorbers are the components in the suspension that dampen the vibrations in the system.

#### **QUESTION 4**

The function of a catalytic converter is primarily to \_\_\_\_\_.

- A. change pollutants into substances that are less harmful
- B. improve the starting power of the automobile
- C. force air into the engine for better acceleration
- D. control the amount of gasoline that flows into the engine

Correct Answer: A

The catalytic converter converts pollutants into less harmful substances.

#### **QUESTION 5**

The small, flat, metal item responsible for protecting the surface from the bolt digging into it and additionally for keeping the bolt tight in place is called a \_\_\_\_\_\_.

A. washer

B. nut

C. screw

D. flat bolt

Correct Answer: A

Latest ASVAB-SECTION-4ASVAB-SECTION-4 StudyASVAB-SECTION-4 ExamDumpsGuideQuestions