



# AXS-C01<sup>Q&As</sup>

AWS Certified Alexa Skill Builder - Specialty (AXS-C01)





## Pass Amazon AXS-C01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/aws-certified-alexa-skill-builder-specialty.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Amazon  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An Alexa Skill Builder would like to improve a skill's help experience. To do this, the Builder plans to leverage the user's activity leading up to the help request to contextualize the help response.

Where should the skill obtain the necessary context?

- A. Load the user's recent activity from the Intent Request History API, then use this to provide context to the AMAZON.HelpIntent request.
- B. Retrieve the recent activity from the context object passed with the AMAZON.HelpIntent request.
- C. Use a session attribute to store the intent name for each request, then use this to provide context to the AMAZON.HelpIntent request.
- D. Retrieve the recent activity from the slot values passed with the AMAZON.HelpIntent request.

Correct Answer: D

Reference: <https://developer.amazon.com/en-US/docs/alexa/custom-skills/implement-the-built-in-intents.html>

---

### QUESTION 2

AMAZON.MoreIntent is comparable to which of the following Amazon Alexa intents? (Choose two.)

- A. AMAZON.ResumeIntent
- B. AMAZON.ScrollDownIntent
- C. AMAZON.RepeatIntent
- D. AMAZON.ScrollRightIntent
- E. AMAZON.LoopOnIntent

Correct Answer: BD

Reference: <https://developer.amazon.com/en-US/docs/alexa/custom-skills/standard-built-in-intents.html#amazonmoreintent>

---

### QUESTION 3

An Amazon Alexa Skill with account linking receives the following request from Alexa: Before responding to the request, how should the Alexa Skill Builder verify that the request came from a user with a valid service account?



```
{
  "version": "1.0",
  "session": {},
  "context": {
    ...
    "user" : {
      "userId": "amzn1.ask.account.XXXXXXXXXX",
      "accessToken": "XXXXXXXXXXXX"
    },
    "device": {},
    "apiEndpoint": "https://api.amazonalexa.com",
    "apiAccessToken" : "YYYYYYYYYYY"
  },
  "request":
  ...
}
```

- A. Confirm that apiAccessToken verifies that the user is in the resource server and that the token has not expired.
- B. Confirm that accessToken verifies that the token has not expired and that the user is the resource owner.
- C. Confirm that accessToken verifies that the user is in the resource server and that the token has not expired.
- D. Confirm that apiAccessToken verifies that the token has not expired and that the user is the resource owner.

Correct Answer: A

#### QUESTION 4

An Alexa Builder is working on a skill for music streaming. When a user says, "Alexa, stop" the skill needs to know where the user was in the song, so that when returning to the skill in a new session, the song can pick up where it left off.

Which section of the following JSON contains the data indicating where the song left off?



```
{
  "version": "1.0",
  "session": {
    "new": false,
    "sessionId": "...",
    "application": {...},
    "attributes": {...},
    "user": {...}
  },
  "context": {
    "System": {
      "device": {
        "supportedInterfaces": {
          "AudioPlayer": {...}
        }
      }
    }
  },
  "user": {...},
  "AudioPlayer": {...}
},
"request": {...}
}
```

- A. session.attributes
- B. Context.AudioPlayer
- C. session.user
- D. context.System.device.supportedInterfaces.AudioPlayer

Correct Answer: C

### QUESTION 5

An Alexa Skill Builder made changes to an AWS Lambda function that is used as the endpoint for a skill. The Builder discovers that the skill now returns an error when it is launched.

How can the Builder use the Lambda console to trigger the function and debug the code?

- A. Create a Lambda test event using the JSON request as input to find the specific error within the code.
- B. Create a Lambda test event using the JSON response as output to find the specific error within the code.
- C. Check the JSON response to see if there are any syntax errors in the code.
- D. Create a Lambda test event using the JSON interaction model to find the specific error within the code.



Correct Answer: A

Reference: <https://developer.amazon.com/en-US/docs/alexa/custom-skills/host-a-custom-skill-as-an-awslambda-function.html>

[Latest AXS-C01 Dumps](#)

[AXS-C01 Practice Test](#)

[AXS-C01 Braindumps](#)