



AZ-700^{Q&As}

Designing and Implementing Microsoft Azure Networking Solutions

Pass Microsoft AZ-700 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/az-700.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have Azure App Service apps in the West US Azure region as shown in the following table.

| Name | App Service Plan | Number of instances |
|------|------------------|---------------------|
| App1 | ASP1 | 3 |
| App2 | ASP1 | 3 |
| App3 | ASP2 | 2 |
| App4 | ASP3 | 1 |

You need to ensure that all the apps can access the resources in a virtual network named Vnet1 without forwarding traffic through the internet. How many integration subnets should you create?

- A. 0
- B. 1
- C. 3
- D. 4
- E. 6

Correct Answer: C

One integration subnet is required per App Service Plan regardless of how many apps are running in the App Service Plan.

Reference: <https://docs.microsoft.com/en-us/azure/app-service/overview-vnet-integration>

QUESTION 2

You need to configure the default route on Vnet2 and Vnet3. The solution must meet the virtual networking requirements. What should you use to configure the default route?

- A. route filters
- B. BGP route exchange
- C. a user-defined route assigned to GatewaySubnet in Vnet1
- D. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3

Correct Answer: B

You cannot specify a virtual network gateway created as type ExpressRoute in a user-defined route because with ExpressRoute, you must use BGP for custom routes <https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>



QUESTION 3

You have an Azure Front Door instance named FD1 that is protected by using Azure Web Application Firewall (WAF).

FD1 uses a frontend host named app1.contoso.com to provide access to Azure web apps hosted in the East US Azure region and the West US Azure region.

You need to configure FD1 to block requests to app1.contoso.com from all countries other than the United States.

What should you include in the WAF policy?

- A. a frontend host association
- B. a managed rule set
- C. a custom rule that uses a rate limit rule
- D. a custom rule that uses a match rule

Correct Answer: C

QUESTION 4

HOTSPOT You have an Azure application gateway named AppGW1 that provides access to the following hosts:
www.adatum.com

www.contoso.com www.fabrikam.com AppGW1 has the listeners shown in the following table.



The screenshot shows the 'Networking' settings for a storage account named 'storage1'. The 'Firewalls and virtual networks' tab is selected. Under 'Allow access from', the 'Selected networks' radio button is chosen. The 'Virtual networks' section shows a table with one entry: VNet1, Subnet1, with an address range of 172.20.0.0/24 and an endpoint status of 'Enabled'. The 'Firewall' section is currently empty, showing a checkbox to 'Add your client IP address' and a list of address ranges: 132.100.53.0/25 and 132.124.53.0/26. There is an input field for 'IP address or CIDR'.

You create Azure Web Application Firewall (WAF) policies for AppGW1 as shown in the following table.

Answer Area

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| VM1 can access storage1. | <input type="radio"/> | <input type="radio"/> |
| VM2 can access storage1 by using a service endpoint. | <input type="radio"/> | <input type="radio"/> |
| VM3 can access storage1 by using the public IP address. | <input type="radio"/> | <input type="radio"/> |

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct



selection is worth one point.

Hot Area:

Answer Area

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| VM1 can access storage1. | <input checked="" type="radio"/> | <input type="radio"/> |
| VM2 can access storage1 by using a service endpoint. | <input type="radio"/> | <input checked="" type="radio"/> |
| VM3 can access storage1 by using the public IP address. | <input type="radio"/> | <input checked="" type="radio"/> |

Correct Answer:

| Name | Web app URLs |
|-----------------|--|
| As1.contoso.com | https://app1.contoso.com/ https://app2.contoso.com/ |
| As2.contoso.com | https://app3.contoso.com/ https://app4.contoso.com/ |

Reference: <https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/per-site-policies>

QUESTION 5

You have an Azure application gateway named AppGW1 that balances requests to a web app named App1.

You need to modify the server variables in the response header of App1.

What should you configure on AppGW1?

- A. HTTP settings
- B. rewrites
- C. rules
- D. listeners

Correct Answer: B

Reference: <https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url>



VCE & PDF

PassApply.com

<https://www.passapply.com/az-700.html>

2024 Latest passapply AZ-700 PDF and VCE dumps Download

[Latest AZ-700 Dumps](#)

[AZ-700 PDF Dumps](#)

[AZ-700 Braindumps](#)