

C1000-002^{Q&As}

IBM MQ V9.0 System Administration

Pass IBM C1000-002 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/c1000-002.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/c1000-002.html 2024 Latest passapply C1000-002 PDF and VCE dumps Download

QUESTION 1

What setting of the MONQ attribute should be used to stop capturing monitoring data for all queues on the Queue Manager?

- A. OFF
- **B. NONE**
- C. FALSE
- D. DISABLE

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/SS3JRN_7.2.1/com.ibm.omegamon.mes_dist.doc_7.1/kmquserguide710_dist.pdf (87)

QUESTION 2

An administrator is troubleshooting a 2035 MQRC_NOT_AUTHORIZED error. Which command can the administrator use to check all authorizations for a queue manager named QMA?

- A. dspmq -m QMA -all
- B. dmpmqlog -m QMA -auth
- C. dspmqaut -m QMA -n mqm -t queue
- D. dmpmqaut -m QMA >/tmp/QMA.dmpmqaut.txt

Correct Answer: C

Reference https://www-01.ibm.com/support/docview.wss?uid=swg21166937

QUESTION 3

What performance events are generated, which queue holds the performance event messages?

- A. SYSTEM.PERFM.EVENT
- B. SYSTEM.ADMIN.EVENT
- C. SYSTEM.ADMIN.PERFM.EVENT
- D. SYSTEM.ADMIN.PERFORMANCE.EVENT

Correct Answer: C

 $Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_9.0.0/com.ibm.mq.mon.doc/~q036200_.htm.$

https://www.passapply.com/c1000-002.html

2024 Latest passapply C1000-002 PDF and VCE dumps Download

QUESTION 4

What is one reason an administrator would have multiple queue managers on one server?

- A. It allows fewer connections.
- B. It allows for memory and CPU isolation.
- C. It allows fewer outstanding units of work.
- D. It allows for tuning log file sized differently.

Correct Answer: A

QUESTION 5

When using the rcrmqobj command to re-create an object from its image in the log, which condition must be satisfied?

- A. Linear logging is used
- B. Circular logging is used
- C. The queue manager is stopped
- D. The object is marked as damaged

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_7.5.0/com.ibm.mq.ref.adm.doc/ q083370_.htm

Latest C1000-002 Dumps C1000-002 VCE Dumps C1000-002 Braindumps