



C1000-002^{Q&As}

IBM MQ V9.0 System Administration

Pass IBM C1000-002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c1000-002.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A failed MQ on z/OS request is received with a reason code `MQRC_STORAGE_MEDIUM_FULL`. What are two reasons for this type of failure? (Select two.)

- A. Application are offline
- B. Cannot write to the disk
- C. The coupling facility is full
- D. Buffer pool has reached the limit
- E. There is not enough space remaining on the page set

Correct Answer: BE

Reference: https://www.ibm.com/support/knowledgecenter/SSFKSJ_8.0.0/com.ibm.mq.tro.doc/q040640_.htm

QUESTION 2

Which FFST Report field can be used to trigger tracing to start?

- A. FDC ID
- B. FFST ID
- C. Error ID
- D. Probe ID

Correct Answer: D

QUESTION 3

What setting of the MONQ attribute should be used to stop capturing monitoring data for all queues on the Queue Manager?

- A. OFF
- B. NONE
- C. FALSE
- D. DISABLE

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/SS3JRN_7.2.1/com.ibm.omegamon.mes_dist.doc_7.1/kmquserguide710_dist.pdf (87)



QUESTION 4

An administrator has developed an application to administer MQ using Programmable Command Format (PCF) messages.

Which queues need to exist on the target queue manager for the application to work?

- A. SYSTEM.COMMAND.INPUT on all platforms
- B. SYSTEM.ADMIN.COMMAND.EVENT on all platforms
- C. SYSTEM.ADMIN.COMMAND.QUEUE on distributed platforms and SYSTEM.COMMAND.INPUT on z/ OS
- D. SYSTEM.CLUSTER.COMMAND.QUEUE on distributed platforms and SYSTEM.CLUSTER.COMMAND.INPUT on z/OS

Correct Answer: B

Reference: http://www.nyu.edu/classes/jcf/g22.3033-010_fa03/slides/session13/g22_3033_011_c132.pdf

QUESTION 5

Given the following error on an MQ server:

AMQ7280: WebSphere MQ queue manager '\x\\' appears unresponsive

In what file extension can this error be found?

- A. *.ERR
- B. *.FST
- C. *.FDC
- D. *.ALR

Correct Answer: C